



# DRAX

Designed by Science



DRAX Designed by Science

2025

# DRAX

Designed by Science

## DRAX INC

HQ / 1st Factory : 26, JeonPa-Ro 62BeonGil, ManAn-Gu,  
AnYang-Si, Gyeonggi Province, Korea 14086  
2nd Factory :48, JeonPa-Ro, ManAn-Gu,  
AnYang-Si, Gyeonggi Province, Korea 14086  
3rd Factory : 85, DeokCheon-Ro 72BeonGil, ManAn-Gu,  
AnYang-Si, Gyeonggi Province, Korea 14086  
Tel +82 31 459-8530 Fax +82 31 459-8531  
E-mail : drax@draxfit.com

[www.draxfit.com](http://www.draxfit.com) / [www.drax.co.kr](http://www.drax.co.kr)  
[https://pf.kakao.com/\\_xifCCT](https://pf.kakao.com/_xifCCT)  
[https://blog.naver.com/draxfit\\_official](https://blog.naver.com/draxfit_official)  
<https://www.facebook.com/draxfit>  
[https://www.instagram.com/draxfit\\_official](https://www.instagram.com/draxfit_official)

The products featured in this catalog may be subject to occasional modifications due to ongoing research and development.  
The colors of the products in this catalog are printed and may differ from the actual product colors.  
All contents included in this catalog are strictly prohibited from being reproduced, copied, transmitted, or quoted without prior permission from the publisher.



04

## Prologue

20

## Cardio Series

Treadmill

Elliptical

Stair Climber

Bike

44

## Strength Series

Weight Machine

Plate Loaded

Free Weights

Goflex

86

## DRAXfit System

Kiosk

Mirror

Goflex

Gotest

CRM

96

## Additional Equipment Selection

SYNERGY Infinity

SYNERGY AIR

RUNBEAT

iWALL

CycloBeat

Plate / Dumbbell

Accessories

120

## Reference

DRAX Championship

DRAX Marathon

Global Customer References



## Mission & Vision



**At DRAX, we strive to create exercise equipment that offers the same freedom and convenience as training in nature.**

Founded in 2001 with a vision of developing fitness machines that replicate the experience of outdoor exercise, DRAX has remained committed to its “exercise in nature” philosophy through continuous research and innovation. Over the years, we have introduced groundbreaking products, including cardio machines designed to mimic the benefits of mountain climbing.

To ensure the highest standards of safety and durability, DRAX has established a fully integrated, one-stop production system that streamlines all manufacturing processes in a single facility. By combining expert research, master craftsmanship, and invaluable customer feedback, we deliver products that excel in both quality and affordability.

As Korea’s leading fitness brand, DRAX is now expanding its global presence to redefine the industry worldwide. In the era of healthcare 3.0, where the concept of life and wellness is evolving, we provide innovative fitness solutions that empower people to exercise **more efficiently, safely, and enjoyably.**

## DRAX INC




## History

|      |   |
|------|---|
| 2001 | • Establishment of TobeOne Co., Ltd.  |
| 2002 | • Export of My Mountain to Japan  |
| 2004 | • Designation as an Export Company by the Gyeonggi Small and Medium Business Administration   |
| 2006 | • Release of the world's first SpeedSync treadmill REDON and acquisition of patents   |
| 2008 | • Development of a strength training system using constant velocity mechanism in collaboration with Seoul National University Sports Science Research Institute   |
| 2010 | • Establishment of a corporate research institute and acquisition of US patents   |
| 2011 | • Launch of Workplace Physical Fitness Management System  |
| 2013 | • Venture company certification, INNO-BIZ certification, ISO9001 quality certification  |
| 2014 | • Selection as a promising small and medium-sized enterprise in Gyeonggi Province<br>• Exclusive distributor of Keiser in South Korea   |
| 2015 | • Launch of curved non-motorized treadmill<br>• Construction of headquarters and factory (6900m <sup>2</sup> )  |
| 2016 | • Change of corporate name to Drax Corporation<br>• Certification of performance by the Small and Medium Business Administration for treadmills   |
| 2017 | • Selection as an excellent procurement product designated by the Public Procurement Service, including treadmill RDX-9200 and 14 other items   |
| 2018 | • Exclusive contract with Finland's CSE for Interactive Trainer iWall<br>• Launch of jointly developed product runBEAT with CSE   |
| 2019 | • Establishment of US subsidiary<br>• Selection as a Star Enterprise in Gyeonggi Province, certification as an export-promising small and medium-sized enterprise<br>• \$3 million in exports<br>• Expansion of production facility (2nd factory, 11500m <sup>2</sup> )   |
| 2020 | • Acquisition of Calgym Group Holdings Pty in Australia<br>• Launch of digital fitness platform DRAXfit<br>• Designation as a promising company in the overseas procurement market (G-PASS)<br>• \$7 million in exports   |
| 2021 | • Commendation from the Minister of Culture, Sports and Tourism<br>• Selection as a national representative of innovative companies among 1000 companies<br>• Establishment of DRAX JAPAN<br>• Certification of New Excellent Product (NEP) for non-motorized treadmill<br>• Good Design certification for Stair Climber (DSC6A)<br>• Hosting of the largest prize money Drax Championship in Korea<br>• Launch of ECO-Friendly materials DRAX dumbbells & plates |
| 2022 | • Launch of the world's first artificial intelligence wellness platform HIRAX<br>• Acquisition of Vibrafit GmbH in Germany, establishment of DRAX Germany   |
| 2023 | • Opening of HIRAX Gangnam branch<br>• Hosting of the world's first indoor treadmill marathon<br>• Selection as an outstanding sports company of the year by the Korea Sports Promotion Foundation<br>• Acquisition of Fitness Apollo Japan in Japan<br>• Opening of HIRAX Seolleung branch<br>• Selection as an innovative leading company by the Korea Credit Guarantee Fund  |
| 2024 | • Launch of digital comprehensive fitness system GoTest<br>• Opening of HIRAX Yeouido branch, Gangnam-gu office station branch, Mockdong station branch<br>• Expansion of production facility (3rd factory, 3,543m <sup>2</sup> )<br>• Opening of HIRAX Tokyo Shinjuku branch<br>• Acquisition of Outdoor Fitness Concept in UK, Establishment of DRAX UK   |

### CEO Seon-Kyung Yoo

Bachelor's and Master's degrees in Mechanical Design Engineering from Seoul National University  
Senior Researcher at LG Electronics Research Institute  
Lead Researcher at LG OTIS R&D Center  
Director of Venture Enterprise Association

# Awards



Confirmation of Export Tower



Commendation from the Minister of Culture, Sports and Tourism




Sports Economics Award




Good Design Selection Certificate

# Certification



National Representative of Innovative Companies 1000 Enterprise Certification



2023 Outstanding Sports Company of the Year Approval



Business Registration Certificate



Factory Registration Certificate (Factory 1)



Factory Registration Certificate (Factory 2)



Construction Registration Certificate



Direct Production Confirmation Document (Aerobic Exercise Equipment)



Direct Production Confirmation Document (Strength Exercise Equipment)




Direct Production Confirmation Document (Software Maintenance and Support)




Direct Production Confirmation Document (Software Engineering)




Direct Production Confirmation Document (Management Information System)




Direct Production Confirmation Document




Direct Production Confirmation Document




Direct Production Confirmation Document




Direct Production Confirmation Document



Direct Production Confirmation Document



Direct Production Confirmation Document



Direct Production Confirmation Document





A Small and Medium-Sized Enterprise (SME) Confirmation Certificate



Certificate of Establishment of Corporate Research Institute



Venture Enterprise Confirmation Certificate



Certificate of Confirmation as an Innovative SME (Inno-Biz)



Certificate of Technical Competency



Sports Association Membership Certificate



New Product Certification (NEP)



Venture Enterprise Confirmation Certificate



Gyeonggi-do Promising SME Certification




Certificate of Designation as an Export Promising SME



Excellent Sports Equipment Manufacturing Company



Certificate of Designation of Excellent Product



Certificate of Technological Innovation SME Confirmation



ISO 9001 Certification



Certificate of Designation as an Excellent Sports Equipment Manufacturer



K-Mark Performance Certification




G-PASS Certification




ISO 9001 Certification




K-Mark Certification



KISS-NR30XA



Good Design Award Certificate




Good Design Award Certificate




Safety Confirmation Declaration Certificate



Safety Confirmation Declaration Certificate



KISS-DE6A




KISS-DA6U




Item-Specific Certificate of Origin Exporter Certification (EU, EFTA, China, Singapore, ASEAN)



Item-Specific Certificate of Origin Exporter Certification (Vietnam, India, EU, EFTA)




Safety Confirmation Declaration Certificate



Safety Confirmation Declaration Certificate



Safety Confirmation Declaration Certificate



Safety Confirmation Declaration Certificate





Safety Confirmation Declaration Certificate



Safety Confirmation Declaration Certificate




Safety Confirmation Declaration Certificate




Safety Confirmation Declaration Certificate



CE-NR30SXA



CE-DA6U



CE-DA6R




CE-DE6A



Safety Confirmation Declaration Certificate




Safety Confirmation Declaration Certificate




Safety Confirmation Declaration Certificate




Safety Confirmation Declaration Certificate



CE-DSC-1000



CE-DSK-3000




CE-DSC6A



FCC-SPT-1000C



Safety Confirmation Declaration Certificate



Safety Confirmation Declaration Certificate



Safety Confirmation Declaration Certificate



Safety Confirmation Declaration Certificate



FCC-NR30SXA



FCC-DA6U




FCC-DA6R




FCC-DE6A




Safety Confirmation Declaration Certificate



CE-MM5050SE




CE-RX9300




CE-STP1000C



FCC-DSC-1000



FCC-DSK-3000



FCC-DSC6A



Certificate of Venture Enterprise Association Executive



# Patent Certificate




Patent Certificate  
(US-7722507)




Patent Certificate  
(US-9878194)




Patent Certificate  
(US-10004972)




Patent Certificate  
(US-10478666)




Patent Certificate  
(US-10668321)




Patent Certificate  
(US-10821319)




Patent Certificate  
(US-10821321)




Patent Certificate  
(US-10926130)




Patent Certificate  
(US-11298576)



Patent Certificate  
(US-11364411)



Patent Certificate  
(US-11,369,836)



Patent Certificate  
(US-11,446,542)




Patent Certificate




Patent Certificate



Patent Certificate



Patent Certificate



Patent Certificate  
(TW)



Patent Certificate  
(CN)



Patent Certificate  
(CN)



Patent Certificate  
(CN)



Patent Certificate  
(CN)



Patent Certificate  
(CN)



Patent Certificate  
(CN)



Patent Certificate  
(KR)



Patent Certificate  
(CN)



Patent Certificate  
(CN)



Patent Certificate  
(CN)



Patent Certificate  
(KR)



Patent Certificate  
(CN)



Patent Certificate  
(CN)



Patent Certificate  
(CN)



Patent Certificate  
(KR)





Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)





Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)



Patent Certificate (KR)

## Utility Model Registration Certificate Design Registration Certificate



Patent Certificate (KR)



Utility Model Registration Certificate



Design Registration Certificate



Design Registration Certificate



Design Registration Certificate



Design Registration Certificate



Design Registration Certificate



Design Registration Certificate



Design Registration Certificate



Design Registration Certificate



Design Registration Certificate



Design Registration Certificate

## Trademark Registration Certificate



Design Registration Certificate




Design Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate





Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate

Service Mark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Service Mark Registration Certificate



Service Mark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate



Trademark Registration Certificate





Cardio Series Treadmill

# NR25SX

## Treadmill



### Product Specifications

|                       |   |
|-----------------------|---|
| Speed                 | 0.8 ~ 25km/h (increments of 0.1km/h)  |
| Speed Sync System     | Yes   |
| Incline               | 0 ~ 16% (increments of 0.1%) – Dual Incline   |
| Motor Specification   | 5HP (Treadmill Duty)  |
| Drive Control Method  | Self-Speed Vector Control   |
| Roller Diameter       | 101.6 mm  |
| Track Size            | 1620 x 520 mm (L x W)   |
| Product Size          | 2165 x 928 x 1645 mm (L x W x H)  |
| Maximum User Weight   | 180 kg  |
| Product Weight        | 190 kg  |
| Display               | 21.5-inch LCD, HDTV, Smartphone mirroring (Android OS, iOS)   |
| Display Information   | Speed, incline, time, distance, calories, heart rate  |
| Workout Programs      | Programs by exercise type   |
| Heart Rate Monitoring | Intelligent Touch Heart Rate System with heart rate control program                                       |
| Power Specifications  | 220V, 50/60Hz   |
| Safety Specifications | Automatic stop safety feature when dismounting [Safety Stop]<br>Emergency stop button<br>CE certification |
| Other Features        | Floating deck shock absorption system, USB support  |
| Optional Features     | Polar wireless heart rate receiver  |
| TV Monitor            | Embedded HDTV Monitor   |

### Product Features

- Top Specification: Maximum speed of 25km/h, maximum incline of 16%.
- Smartphone mirroring feature with embedded HDTV (Android, iOS).
- World's first Speed Sync System: Utilizes advanced sensing technology to detect the runner's intention and automatically adjust treadmill speed [Patented].
- State-of-the-art body weight detection sensor for Safety Stop function (automatic stop when dismounting) [Patented].
- Dual Incline System: No rolling even at maximum running speed [Patented].
- Floating deck smart shock absorption system: Optimal cushioning [Patented].
- Integrated Intelligent Heart Rate System, automatic belt tensioning system, emergency stop, CE certification.



Mirroring



Floating Deck



Safety Stop



Speed Sync



USB Support



Dual incline



Cardio Series Treadmill

# NR25SXA-T

## Treadmill



### Product Specifications

|                       |   |
|-----------------------|---|
| Speed                 | 0.8 ~ 25km/h (increments of 0.1km/h)  |
| Speed Sync System     | Yes   |
| Incline               | 0 ~ 16% (increments of 0.1%) – Dual Incline   |
| Motor Specification   | 5HP (Treadmill Duty)  |
| Drive Control Method  | Self-Speed Vector Control   |
| Roller Diameter       | 101.6 mm  |
| Track Size            | 1620 x 520 mm (L x W)   |
| Product Size          | 2165 x 928 x 1645 mm (L x W x H)  |
| Maximum User Weight   | 180 kg  |
| Product Weight        | 190 kg  |
| Display               | 21.5-inch LCD, HDTV, Touch screen<br>High performance H/W, Android OS System<br>Smartphone mirroring (Android OS, iOS)<br>OTT Playing (Netflix, Youtube, etc.)<br>32 VR courses |
| Display Information   | Speed, incline, time, distance, calories, heart rate  |
| Workout Programs      | Programs by exercise type and Editing function  |
| Heart Rate Monitoring | Intelligent Touch Heart Rate System with heart rate control program   |
| Power Specifications  | 220V, 50/60Hz   |
| Safety Specifications | Automatic stop safety feature when dismounting [Safety Stop]<br>Emergency stop button<br>CE certification   |
| Other Features        | Floating deck shock absorption system, USB support  |
| Optional Features     | Polar wireless heart rate receiver  |
| TV Monitor            | Embedded HDTV Monitor   |

### Product Features

- Top Specification: Maximum speed of 25km/h, maximum incline of 16%.
- High performance Smart Touch Android OS System
- OTT Playing (Netflix, Youtube, etc.)
- Bluetooth,WiFi wireless devices connectivity
- Wireless Smartphone Charging
- Smartphone mirroring feature with embedded HDTV (Android, iOS).
- World's first Speed Sync System: Utilizes advanced sensing technology to detect the runner's intention and automatically adjust treadmill speed [Patented].
- State-of-the-art body weight detection sensor for Safety Stop function (automatic stop when dismounting) [Patented].
- Dual Incline System: No rolling even at maximum running speed [Patented].
- Floating deck smart shock absorption system: Optimal cushioning [Patented].
- Integrated Intelligent Heart Rate System, automatic belt tensioning system, emergency stop, CE certification.



Touch Screen



Floating Deck



Android System & Mirroring



Speed Sync



Netflix, Youtube



Dual incline



USB Support



Safety Stop



Wireless Charging



Bluetooth Connectivity



Cardio Series Treadmill

# NR20X

## Treadmill



### Product Specifications

|                       |   |
|-----------------------|---|
| Speed                 | 0.8 ~ 20km/h (increments of 0.1km/h)  |
| Speed Sync System     | No  |
| Incline               | 0 ~ 16% (increments of 0.1%) – Dual Incline   |
| Motor Specification   | 5HP (Treadmill Duty)  |
| Drive Control Method  | Self-Speed Vector Control   |
| Roller Diameter       | 101.6 mm  |
| Track Size            | 1620 x 520 mm (L x W)   |
| Product Size          | 2165 x 928 x 1645 mm (L x W x H)  |
| Maximum User Weight   | 180 kg  |
| Product Weight        | 190 kg  |
| Display               | 21.5-inch LCD, HDTV, Smartphone mirroring (Android OS, iOS)   |
| Display Information   | Speed, incline, time, distance, calories, heart rate  |
| Workout Programs      | Programs by exercise type   |
| Heart Rate Monitoring | Intelligent Touch Heart Rate System with heart rate control program                                       |
| Power Specifications  | 220V, 50/60Hz   |
| Safety Specifications | Automatic stop safety feature when dismounting (Safety Stop)<br>Emergency stop button<br>CE certification |
| Other Features        | Floating deck shock absorption system, USB support  |
| Optional Features     | Polar wireless heart rate receiver  |
| TV Monitor            | Embedded HDTV Monitor   |

### Product Features

- Smartphone mirroring feature with embedded HDTV (Android, iOS).
- State-of-the-art body weight detection sensor for Safety Stop function (automatic stop when dismounting) [Patented].
- Dual Incline System: No rolling even at maximum running speed [Patented].
- Floating deck smart shock absorption system: Optimal cushioning [Patented].
- Integrated Intelligent Heart Rate System, automatic belt tensioning system, emergency stop, CE certification.



Cardio Series Treadmill

# NR20XA-T

## Treadmill




### Product Specifications

|                       |   |
|-----------------------|---|
| Speed                 | 0.8 ~ 20km/h (increments of 0.1km/h)  |
| Speed Sync System     | No  |
| Incline               | 0 ~ 16% (increments of 0.1%) – Dual Incline   |
| Motor Specification   | 5HP (Treadmill Duty)  |
| Drive Control Method  | Self-Speed Vector Control   |
| Roller Diameter       | 101.6 mm  |
| Track Size            | 1620 x 520 mm (L x W)   |
| Product Size          | 2165 x 928 x 1645 mm (L x W x H)  |
| Maximum User Weight   | 180 kg  |
| Product Weight        | 190 kg  |
| Display               | 21.5-inch LCD, HDTV, Touch screen<br>High-performance Smart Touch Android System<br>Smartphone mirroring (Android OS, iOS)<br>OTT Playing (Netflix, Youtube, etc.)<br>32 VR courses |
| Display Information   | Speed, incline, time, distance, calories, heart rate  |
| Workout Programs      | Programs by exercise type and Editing function  |
| Heart Rate Monitoring | Intelligent Touch Heart Rate System with heart rate control program   |
| Power Specifications  | 220V, 50/60Hz   |
| Safety Specifications | Automatic stop safety feature when dismounting (Safety Stop)<br>Emergency stop button<br>CE certification   |
| Other Features        | Floating deck shock absorption system, USB support  |
| Optional Features     | Polar wireless heart rate receiver  |
| TV Monitor            | Embedded HDTV Monitor   |

### Product Features

- High-performance Smart Touch Android OS System
- OTT Playing (Netflix, Youtube, etc.)
- Bluetooth,WiFi wireless devices connectivity
- Wireless Smartphone Charging
- Smartphone mirroring feature with embedded HDTV (Android, iOS).
- State-of-the-art body weight detection sensor for Safety Stop function (automatic stop when dismounting) [Patented].
- Dual Incline System: No rolling even at maximum running speed [Patented].
- Floating deck smart shock absorption system: Optimal cushioning [Patented].
- Integrated Intelligent Heart Rate System, automatic belt tensioning system, emergency stop, CE certification.





Cardio Series Treadmill

# NR20XA-E

## Treadmill



### Product Specifications

|                       |  |
|-----------------------|--|
| Speed                 | 0.8 ~ 20km/h (increments of 0.1km/h)   |
| Speed Sync System     | No   |
| Incline               | 0 ~ 16% (increments of 0.1%) ~ Dual Incline  |
| Motor Specification   | 5HP (Treadmill Duty)   |
| Drive Control Method  | Self-Speed Vector Control  |
| Roller Diameter       | 101.6 mm   |
| Track Size            | 1620 x 520 mm (L x W)  |
| Product Size          | 2165 x 928 x 1645 mm (L x W x H)   |
| Maximum User Weight   | 180 kg   |
| Product Weight        | 190 kg   |
| Display               | 21.5-inch LCD, HDTV<br>Smart Touch Android System<br>Smartphone mirroring (Android OS, iOS)<br>OTT Playing (Netflix, Youtube, etc.)<br>32 VR courses |
| Display Information   | Speed, incline, time, distance, calories, heart rate   |
| Workout Programs      | Programs by exercise type and Editing function   |
| Heart Rate Monitoring | Intelligent Touch Heart Rate System<br>with heart rate control program   |
| Power Specifications  | 220V, 50/60Hz  |
| Safety Specifications | Automatic stop safety feature when dismounting<br>[Safety Stop]<br>Emergency stop button<br>CE certification   |
| Other Features        | Floating deck shock absorption system,<br>USB support  |
| Optional Features     | Polar wireless heart rate receiver   |
| TV Monitor            | Embedded HDTV Monitor  |

### Product Features

- Smart Touch Android OS System
- OTT Playing (Netflix, Youtube, etc.)
- Bluetooth,WiFi wireless devices connectivity
- Wireless Smartphone Charging
- Smartphone mirroring feature with embedded HDTV (Android, iOS).
- State-of-the-art body weight detection sensor for Safety Stop function (automatic stop when dismounting) [Patented].
- Dual Incline System: No rolling even at maximum running speed [Patented].
- Floating deck smart shock absorption system: Optimal cushioning [Patented].
- Integrated Intelligent Heart Rate System, automatic belt tensioning system, emergency stop, CE certification.

- Touch Screen
- Floating Deck
- Android System & Mirroring
- Dual incline
- Netflix, Youtube
- Safety Stop
- USB Support
- Bluetooth Connectivity
- Wireless Charging



Cardio Series Treadmill

# NR20XA-B

## Treadmill



### Product Specifications

|                       |  |
|-----------------------|--|
| Speed                 | 0.8 ~ 20km/h (increments of 0.1km/h)   |
| Speed Sync System     | No   |
| Incline               | 0 ~ 16% (increments of 0.1%) ~ Dual Incline  |
| Motor Specification   | 5HP (Treadmill Duty)   |
| Drive Control Method  | Self-Speed Vector Control  |
| Roller Diameter       | 101.6 mm   |
| Track Size            | 1620 x 520 mm (L x W)  |
| Product Size          | 2165 x 928 x 1645 mm (L x W x H)   |
| Maximum User Weight   | 180 kg   |
| Product Weight        | 190 kg   |
| Display               | 21.5-inch LCD<br>Smart Touch Android System<br>OTT Playing (Netflix, Youtube, etc.)<br>12 VR courses         |
| Display Information   | Speed, incline, time, distance, calories, heart rate   |
| Workout Programs      | Programs by exercise type and Editing function   |
| Heart Rate Monitoring | Intelligent Touch Heart Rate System<br>with heart rate control program                                       |
| Power Specifications  | 220V, 50/60Hz  |
| Safety Specifications | Automatic stop safety feature when dismounting<br>[Safety Stop]<br>Emergency stop button<br>CE certification |
| Other Features        | Floating deck shock absorption system,<br>USB support  |
| Optional Features     | Polar wireless heart rate receiver   |

### Product Features

- Smart Touch Android OS System
- OTT Playing (Netflix, Youtube, etc.)
- Bluetooth,WiFi wireless devices connectivity
- Wireless Smartphone Charging
- State-of-the-art body weight detection sensor for Safety Stop function (automatic stop when dismounting) [Patented].
- Dual Incline System: No rolling even at maximum running speed [Patented].
- Floating deck smart shock absorption system: Optimal cushioning [Patented].
- Integrated Intelligent Heart Rate System, automatic belt tensioning system, emergency stop, CE certification.

- Touch Screen
- Floating Deck
- Android System & Mirroring
- Dual incline
- Netflix, Youtube
- Safety Stop
- USB Support
- Bluetooth Connectivity
- Wireless Charging





Cardio Series Treadmill

# NRED20X

## Treadmill



### Product Specifications

|                      |   |
|----------------------|---|
| Speed                | 0.8 ~ 20km/h (increments of 0.1km/h)  |
| Incline              | 0 ~ 16% (increments of 0.1%) – Dual Incline   |
| Motor Specification  | 5HP (Treadmill Duty)  |
| Drive Control Method | Self-Speed Vector Control   |
| Roller Diameter      | 101.6 mm  |
| Track Size           | 1620 x 520 mm (L x W)   |
| Maximum User Weight  | 180kg   |
| Display Information  | Speed, Incline, Time, Distance, Calories, Heart Rate  |
| Exercise Programs    | Manual : Time/Distance/Calorie target program<br>Fat Burn : Program that maintains 65% of max heart rate<br>Cardio : Programs that maintain 80% of max heart rate<br>Program : Interval program<br>Marathon : full, half, 10 km, 5 km |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional)   |
| Power Specifications | 220V (50/60Hz) 20A grounding outlet   |
| Product Size         | 2165 x 928 x 1645mm (LxWxH)   |
| Product Weight       | 190kg   |



### Product Features

- Floating Deck  
Patented technology system reduces impact to the body during exercise. (Patent No. 10-1371607)
- Dual Incline System  
Patented Incline System reduces load on the incline motor by 50%.  
The incline motor and lifting mechanism provide very quiet, smooth operation (Patent No. 10-0624647)



Cardio Series Treadmill

# NRED25X

## Treadmill



### Product Specifications

|                      |   |
|----------------------|---|
| Speed                | 0.8 ~ 25km/h (increments of 0.1km/h)  |
| Incline              | 0 ~ 16% (increments of 0.1%) – Dual Incline   |
| Motor Specification  | 5HP (Treadmill Duty)  |
| Drive Control Method | Self-Speed Vector Control   |
| Roller Diameter      | 101.6 mm  |
| Track Size           | 1620 x 520 mm (L x W)   |
| Maximum User Weight  | 180kg   |
| Display Information  | Speed, Incline, Time, Distance, Calories, Heart Rate  |
| Exercise Programs    | Manual : Time/Distance/Calorie target program<br>Fat Burn : Program that maintains 65% of max heart rate<br>Cardio : Programs that maintain 80% of max heart rate<br>Program : Interval program<br>Marathon : full, half, 10 km, 5 km |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional)   |
| Power Specifications | 220V (50/60Hz) 20A grounding outlet   |
| Product Size         | 2165 x 928 x 1645mm (LxWxH)   |
| Product Weight       | 190kg   |



# NRED20SX / NRED25SX

## Treadmill




### Product Specifications

|                      |   |
|----------------------|---|
| Speed                | NRED20SX : 0.8 ~ 20 km/h (increments of 0.1km/h)<br>NRED25SX : 0.8 ~ 25 km/h (increments of 0.1km/h)  |
| Incline              | 0 ~ 16% (increments of 0.1%) – Dual Incline   |
| Motor Specification  | 5HP (Treadmill Duty)  |
| Drive Control Method | Self-Speed Vector Control   |
| Roller Diameter      | 101.6 mm  |
| Track Size           | 1620 x 520 mm (L x W)   |
| Maximum User Weight  | 180kg   |
| SpeedSync            | Recognizes the user's position and automatically adjusts speed  |
| Display Information  | Speed, Incline, Time, Distance, Calories, Heart Rate  |
| Exercise Programs    | Manual : Time/Distance/Calorie target program<br>Fat Burn : Program that maintains 65% of max heart rate<br>Cardio : Programs that maintain 80% of max heart rate<br>Program : Interval program<br>Marathon : full, half, 10 km, 5 km |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional)   |
| Power Specifications | 220V (50/60Hz) 20A grounding outlet   |
| Product Size         | 2165 x 928 x 1645mm (LxWxH)   |
| Product Weight       | 200kg   |



# My Mountain Treadmill



## Product Specifications

|                      |  |
|----------------------|--|
| Speed                | 0.3 ~ 8 kph (in 0.1 kph increments)                  |
| Incline              | -5 ~ 50% (1% increments)                             |
| Motor Specification  | AC2HP  |
| Drive Control Method | Self-Speed Vector Control                            |
| Roller Diameter      | 75mm   |
| Track Size           | 1070 x 510 mm (LxW)                                  |
| Maximum User Weight  | 130kg  |
| Display              | 3-color dot matrix                                   |
| Display Information  | Speed, Incline, Time, Distance, Calories, Heart Rate |
| Exercise Programs    | 12 preset programs                                   |
| Power Specifications | 220V, 50/60Hz  |
| Product Size         | 1250 x 1049 x 1631mm (LxWxH)                         |
| Product Weight       | 130kg  |



## Product Features

- **Trekking**  
Trekking and hiking can be simulated on a 50% incline. Walking on an angled course burns more calories than on a flat course, and also reduces impact on the hips, knees, and other joints.
- **Inclination from -5% to 50%.**  
Unique inclines from -5% to 50% can be reproduced in 1% increments. This inclination can be used for a wide range of needs from serious trekking to rehabilitation.
- **Minimal floor space**  
Designed specifically for trekking, it is compact in size. (depth 1053mm, width 1260mm)
- **Preset Programs**  
12 unique courses are available. All courses can be freely changed in terms of maximum speed and maximum incline, so you can create an infinite number of courses.
- **Floating Deck**  
Patented technology system reduces impact to



# DRAXfit + Treadmill




## Product Specifications

|                     |   |
|---------------------|---|
| Speed               | Self-powered                                |
| Roller Diameter     | 175mm                                       |
| Track Size          | 1640 x 430 mm (LxW)                         |
| Maximum User Weight | 180kg                                       |
| Display Information | Speed, Time, Distance, Calories, Heart Rate |
| Battery             | 4 x AA batteries (for console)              |
| Product Size        | 1630 x 785 x 1700mm (LxWxH)                 |
| Product Weight      | 130kg                                       |



## Product Features

- **Unlimited Speed Control**  
From walking to sprinting, users control their own pace with no maximum speed limit, enabling a truly free running experience.
- **Self-Powered & Portable**  
No electricity required, reducing energy costs. Built-in wheels allow for easy relocation.
- **Higher Calorie Burn**  
Research shows self-powered treadmills burn approximately 30% more calories than motorised treadmills, enhancing workout efficiency.
- **Comfortable curved running surface**  
Rubber slat design minimises joint impact, while the curved surface promotes proper running and walking form.





Cardio Series Elliptical

# DE6A-T

## Elliptical



### Product Specifications

|                           |   |
|---------------------------|---|
| Exercise Intensity Levels | 25 levels   |
| Load Control Method       | Hybrid Control Self-Generating System   |
| Drive Method              | V-Belt Drive  |
| Product Size              | 2120 x 610 x 1730 mm (L x W x H)  |
| Product Weight            | 120 kg  |
| Maximum allowable load    | 180 kg  |
| Stride distance           | 510 mm  |
| Display                   | 15.6 inch LCD, HDTV<br>High performance Smart Touch Android System<br>Smartphone mirroring (Android OS, IOS)<br>OTT Playing (Netflix, Youtube, etc.)<br>32 VR courses         |
| Monitor                   | 15.6 inch Full HD display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Exercise Programs         | Programs and editing functions by exercise type   |
| heart rate                | Intelligent Touch Heart Rate System<br>Heart rate linked control program  |
| Durability                | High-strength steel frame<br>Black powder coating for enhanced corrosion resistance<br>Built-in double auto tensioner   |
| COReNe                    | leveling device<br>Cup holder, phone holder, bookshelf  |
| Convenience Features      | Horizontal Adjustment, Cup Holder,<br>Mobile Phone Storage, Book Stand  |
| Power Source              | Self-Generating/DC 12V, 5A (for Monitor Use)  |
| Optional Feature          | Polar Wireless Heart Rate Receiver  |
| TV                        | Embedded HDTV   |

### Product Features

- 15.6-inch Full HD Display with Reinforced Glass Protection
- High-performance SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Smartphone mirroring function with embedded HDTV (Android, IOS)
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability



Cardio Series Elliptical

# DE6A-E

## Elliptical



### Product Specifications

|                        |   |
|------------------------|---|
| Product Size           | 2120 x 610 x 1730 mm (L x W x H)  |
| Weight                 | 120 kg  |
| Maximum allowable load | 180 kg  |
| Display                | 15.6 inch LCD, HDTV reception<br>Smart Touch Android system<br>Smartphone Mirroring (Android OS, IOS)<br>OTT viewing (Netflix, YouTube, etc.)<br>32 VR courses                    |
| Monitor                | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Power Source           | Self-generation / DC 12V, 5A (when using monitor)   |

### Product Features

- 15.6-inch Full HD display with tempered glass protection
- SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability

# DE6A-B

## Elliptical



### Product Specifications

|                        |   |
|------------------------|---|
| Product Size           | 2120 x 610 x 1730 mm (L x W x H)  |
| Weight                 | 120 kg  |
| Maximum allowable load | 180 kg  |
| Display                | 15.6 inch LCD, HDTV reception<br>Smart Touch Android system<br>OTT viewing (Netflix, YouTube, etc.)<br>12 VR courses  |
| Monitor                | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Power used             | Self-generation / DC 12V, 5A (when using monitor)   |

### Product Features

- 15.6-inch Full HD display with tempered glass protection
- SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability

Cardio Series Elliptical

# DE6X

## Elliptical



### Product Specifications

|                      |   |
|----------------------|---|
| Exercise Levels      | 25 levels   |
| Load Control Method  | Hybrid Control Self-Generating System                                     |
| Maximum User Weight  | 180kg   |
| Stride Length        | 510mm   |
| Display              | 15.6" LCD screen  |
| Display Information  | Time, Distance, Calories, Heart Rate                                      |
| Entertainment        | Smartphone display mirroring(Android and iOS)<br>Digital TV               |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional) |
| Power Specifications | Self-Generating/DC 12V, 5A (for Monitor Use)                              |
| Product Size         | 2120 x 610 x 1730mm (LxWxH)   |
| Product Weight       | 120kg / 264Lb   |
| Packing Size         | 2240 x 1110 x 690 mm (LxWxH) , 1.65 cbm<br>Gross weight 130kg             |



# DE6

## Elliptical

### Product Specifications

|                      |   |
|----------------------|---|
| Exercise Levels      | 25 levels   |
| Load Control Method  | Self-generating   |
| Maximum User Weight  | 180kg   |
| Stride Length        | 510mm   |
| Display              | Dot matrix (LED display)  |
| Display Information  | Time, Distance, Calories, Heart Rate                                      |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional) |
| Power Specifications | Self-generating, no electricity supply required                           |
| Product Size         | 2120 x 610 x 1730mm (LxWxH)   |
| Product Weight       | 110kg   |



Cardio Series Bike

# DA6R-T

## Recumbent Bike



### Product Specifications

|                           |   |
|---------------------------|---|
| Exercise Intensity Levels | 25 levels   |
| Load Control Method       | Hybrid Control Self-Generating System   |
| Drive Method              | V-Belt Drive  |
| Product Size              | 1677 x 590 x 1395 mm (L x W x H)  |
| Product Weight            | 72.4 kg   |
| Maximum allowable load    | 150 kg  |
| Stride distance           | 510 mm  |
| Display                   | 15.6 inch LCD, HDTV reception<br>High-performance Smart Touch Android system<br>Smartphone Mirroring (Android OS, IOS)<br>OTT viewing (Netflix, YouTube, etc.)<br>32 VR courses   |
| Monitor                   | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Exercise Programs         | Programs and editing functions by exercise type   |
| heart rate                | Intelligent Touch Heart Rate System<br>Heart rate linked control program  |
| Durability                | High-strength steel frame<br>Black powder coating for enhanced corrosion resistance<br>Built-in double auto tensioner   |
| COReNe                    | leveling device<br>Cup holder, phone holder, bookshelf  |
| Power Used                | Self-Generating/DC 12V, 5A (for Monitor Use)  |
| Optional Feature          | Polar Wireless Heart Rate Receiver  |
| TV                        | Embedded HDTV   |



### Product Features

- 15.6-inch Full HD display with tempered glass protection
- High-performance SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Smartphone mirroring function with embedded HDTV (Android, iOS)
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability





Cardio Series Bike

# DA6R-E

## Recumbent Bike



### Product Specifications

|                        |   |
|------------------------|---|
| Product Size           | 1677 x 590 x 1395 mm (L x W x H)  |
| Weight                 | 72.4 kg   |
| Maximum allowable load | 150 kg  |
| Display                | 15.6 inch LCD, HDTV reception<br>Smart Touch Android system<br>Smartphone Mirroring (Android OS, IOS)<br>OTT viewing (Netflix, YouTube, etc.)<br>32 VR courses                    |
| Monitor                | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Power Source           | Self-generation / DC 12V, 5A (when using monitor)   |

### Product Features

- 15.6-inch Full HD display with tempered glass protection
- SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Smartphone mirroring function with embedded HDTV (Android, iOS)
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability



# DA6R-B

## Recumbent Bike



### Product Specifications

|                        |   |
|------------------------|---|
| Product Size           | 1677 x 590 x 1395 mm (L x W x H)  |
| Weight                 | 72.4 kg   |
| Maximum allowable load | 150 kg  |
| Display                | 15.6 inch LCD, HDTV reception<br>Smart Touch Android system<br>OTT viewing (Netflix, YouTube, etc.)<br>12 VR courses  |
| Monitor                | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Power used             | Self-generation / DC 12V, 5A (when using monitor)   |

### Product Features

- 15.6-inch Full HD display with tempered glass protection
- SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability

Cardio Series Bike

# DX6R

## Recumbent Bike



### Product Specifications

|                      |   |
|----------------------|---|
| Exercise Levels      | 25 levels   |
| Load Control Method  | Hybrid Control Self-Generating System                                     |
| Maximum User Weight  | 150kg   |
| Display              | 15.6" LCD screen  |
| Display Information  | Time, Distance, Calories, Heart Rate                                      |
| Entertainment        | Smartphone display mirroring(Android and iOS)<br>Digital TV               |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional) |
| Power Specifications | Self-generation / DC 12V, 5A (when using monitor)                         |
| Product Size         | 1677 x 590 x 1396mm (LxWxH)   |
| Product Weight       | 72.4kg  |



# TBR9000

## Recumbent Bike



### Product Specifications

|                      |   |
|----------------------|---|
| Exercise Levels      | 25 levels   |
| Load Control Method  | Self-generating   |
| Maximum User Weight  | 150kg   |
| Display              | Dot matrix (LED display)  |
| Display Information  | Time, Distance, Calories, Heart Rate                                      |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional) |
| Power Specifications | Self-generating, no electricity supply required                           |
| Product Size         | 1670 x 590 x 1375mm (LxWxH)   |
| Product Weight       | 70kg  |



Cardio Series Bike

# DA6U-T

## Upright Bike



### Product Specifications

|                           |   |
|---------------------------|---|
| Exercise Intensity Levels | 25 levels   |
| Load Control Method       | Hybrid Control Self-Generating System   |
| Drive Method              | V-Belt Drive  |
| Product Size              | 1132 x 639 x 1521 mm (L x W x H)  |
| Product Weight            | 61kg  |
| Maximum allowable load    | 150 kg  |
| Stride distance           | 510 mm  |
| Display                   | 15.6 inch LCD, HDTV reception<br>High-performance Smart Touch Android system<br>Smartphone Mirroring (Android OS, IOS)<br>OTT viewing (Netflix, YouTube, etc.)<br>32 VR courses   |
| Monitor                   | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Exercise Programs         | Programs and editing functions by exercise type   |
| heart rate                | Intelligent Touch Heart Rate System<br>Heart rate linked control program  |
| Durability                | High-strength steel frame<br>Black powder coating for enhanced corrosion resistance<br>Built-in double auto tensioner   |
| COreNene                  | leveling device<br>Cup holder, phone holder, bookshelf  |
| Power Used                | Self-Generating/DC 12V, 5A (for Monitor Use)  |
| Optional Feature          | Polar Wireless Heart Rate Receiver  |
| TV                        | Embedded HDTV   |

### Product Features

- 15.6-inch Full HD display with tempered glass protection
- High-performance SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Smartphone mirroring function with embedded HDTV (Android, iOS)
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability



Cardio Series Bike

# DA6U-E

## Upright Bike



### Product Specifications

|                        |   |
|------------------------|---|
| Product Size           | 1132 x 639 x 1521 mm (L x W x H)  |
| Weight                 | 61 kg   |
| Maximum allowable load | 150 kg  |
| Display                | 15.6 inch LCD, HDTV reception<br>Smart Touch Android system<br>Smartphone Mirroring (Android OS, IOS)<br>OTT viewing (Netflix, YouTube, etc.)<br>32 VR courses                    |
| Monitor                | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Power Source           | Self-generation / DC 12V, 5A (when using monitor)   |

### Product Features

- 15.6-inch Full HD display with tempered glass protection
- SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Smartphone mirroring function with embedded HDTV (Android, iOS)
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability

# DA6U-B

## Upright Bike



### Product Specifications

|                        |   |
|------------------------|---|
| Product Size           | 1132 x 639 x 1521 mm (L x W x H)  |
| Weight                 | 61 kg   |
| Maximum allowable load | 150 kg  |
| Display                | 15.6 inch LCD, HDTV reception<br>Smart Touch Android system<br>OTT viewing (Netflix, YouTube, etc.)<br>12VR courses   |
| Monitor                | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Power used             | Self-generation / DC 12V, 5A (when using monitor)   |

### Product Features

- 15.6-inch Full HD display with tempered glass protection
- SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability



Cardio Series Bike

# DX6U

## Upright Bike



### Product Specifications

|                      |   |
|----------------------|---|
| Exercise Levels      | 25 levels   |
| Load Control Method  | Hybrid Control Self-Generating System                                     |
| Maximum User Weight  | 150kg   |
| Display              | 15.6" LCD screen  |
| Display Information  | Time, Distance, Calories, Heart Rate                                      |
| Entertainment        | Smartphone display mirroring(Android and iOS)<br>Digital TV               |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional) |
| Power Specifications | Self-generation / DC 12V, 5A (when using monitor)                         |
| Product Size         | 1132 x 639 x 1521mm (LxWxH)   |
| Product Weight       | 60kg  |
| Packing Size         | 1150 x 610 x 1015 mm (LxWxH) , 0.89 cbm<br>Gross weight 70 Kg             |



# TBU9000

## Upright Bike



### Product Specifications

|                      |   |
|----------------------|---|
| Exercise Levels      | 25 levels   |
| Load Control Method  | Self-Generating   |
| Maximum User Weight  | 150kg   |
| Display              | Dot matrix (LED display)  |
| Display Information  | Time, Distance, Calories, Heart Rate                                      |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional) |
| Power Specifications | Self-generation / DC 12V, 5A (when using monitor)                         |
| Product Size         | 1120 x 615x 1530mm (LxWxH)  |
| Product Weight       | 50kg  |



Cardio Series Stair Climber

# DSC6A-T

## Stair Climber



### Product Specifications

|                           |   |
|---------------------------|---|
| Exercise Intensity Levels | 25 levels   |
| Load Control Method       | Hybrid Control Self-Generating System   |
| Drive Method              | ECB Control with Flywheel, Chain Drive  |
| Product Size              | 1594 x 830 x 2090 mm (L x W x H)  |
| Product Weight            | 146 kg  |
| Maximum allowable load    | 180 kg  |
| Stride distance           | 510 mm  |
| Display                   | 15.6 inch LCD, HDTV reception<br>High-performance Smart Touch Android system<br>Smartphone Mirroring (Android OS, IOS)<br>OTT viewing (Netflix, YouTube, etc.)<br>32 VR courses   |
| Monitor                   | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Exercise Programs         | Programs and editing functions by exercise type   |
| heart rate                | Intelligent Touch Heart Rate System<br>Heart rate linked control program  |
| Durability                | High-strength steel frame<br>Black powder coating for enhanced corrosion resistance<br>Built-in double auto tensioner   |
| COReNene                  | leveling device<br>Cup holder, phone holder, bookshelf  |
| Power Used                | 220V, 50/60Hz   |
| Optional Feature          | Polar Wireless Heart Rate Receiver  |
| TV                        | Embedded HDTV   |



### Product Features

- 15.6-inch Full HD display with tempered glass protection
- High-performance SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Smartphone mirroring function with embedded HDTV (Android, iOS)
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability



Cardio Series Stair Climber

# DSC6A-E

## Stair Climber



### Product Specifications

|                        |   |
|------------------------|---|
| Product Size           | 1594 x 830 x 2090mm (L x W x H)   |
| Weight                 | 146 kg  |
| Maximum allowable load | 180 kg  |
| Display                | 15.6 inch LCD, HDTV reception<br>Smart Touch Android system<br>Smartphone Mirroring (Android OS, IOS)<br>OTT viewing (Netflix, YouTube, etc.)<br>32 VR courses                    |
| Monitor                | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Power Source           | 220V, 50/60Hz   |

### Product Features

- 15.6-inch Full HD display with tempered glass protection
- SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Smartphone mirroring function with embedded HDTV (Android, IOS)
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability



# DSC6A-B

## Stair Climber



### Product Specifications

|                        |   |
|------------------------|---|
| Product Size           | 1594 x 830 x 2090mm (L x W x H)   |
| Weight                 | 146 kg  |
| Maximum allowable load | 180 kg  |
| Display                | 15.6 inch LCD, HDTV reception<br>Smart Touch Android system<br>OTT viewing (Netflix, YouTube, etc.)<br>32 VR courses  |
| Monitor                | 15.6 inch Full HD LED display with tempered glass protection<br>6FND calories, heart rate, time, distance, RPM, level<br>display independently controlled from the monitor screen |
| Power used             | 220V, 50/60Hz   |

### Product Features

- 15.6-inch Full HD display with tempered glass protection
- SMART TOUCH Android system
- Watching OTT such as Netflix and YouTube
- Bluetooth, WIFI wireless device connection
- Control controller that operates independently from the monitor screen (reinforced durability)
- Hybrid control self-generation system applied (external power required when using monitor)
- Wide range of exercise intensity selection possible through 25-step detailed load control
- Built-in advanced intelligent heart rate system
- Smooth and quiet belt drive system
- Precision-machined, high-strength steel frame structure: Excellent durability

Cardio Series Stair Climber

# DSC6X

## Stair Climber



### Product Specifications

|                      |   |
|----------------------|---|
| Exercise Levels      | 25 levels   |
| Load Control Method  | ECB Control with Flywheel, Chain Drive                                    |
| Maximum User Weight  | 180kg   |
| Display              | 15.6" LCD screen  |
| Display Information  | Time, Distance, Calories, Heart Rate                                      |
| Entertainment        | Smartphone display mirroring(Android and iOS)<br>Digital TV               |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional) |
| Power Specifications | 220V, 50/60Hz   |
| Step Size, Height    | 301 x 457mm (LxW) · Height : 226mm  |
| Product Size         | 1594 x 830x 2090mm (LxWxH)  |
| Product Weight       | 146kg   |



# DSC6

## Stair Climber



### Product Specifications

|                      |   |
|----------------------|---|
| Exercise Levels      | 25 levels   |
| Load Control Method  | ECB Control with Flywheel, Chain Drive                                    |
| Maximum User Weight  | 180kg   |
| Display              | Dot matrix (LED display)  |
| Display Information  | Time, Distance, Calories, Heart Rate                                      |
| Heart Rate           | Handgrip heart rate sensor<br>Wireless heart rate sensor (Polar optional) |
| Power Specifications | 220V, 50/60Hz   |
| Step Size, Height    | 301 x 457mm (LxW) · Height : 226mm  |
| Product Size         | 1594 x 830x 2090mm (LxWxH)  |
| Product Weight       | 148kg   |







Strength Series Weight Machine

# TWMA101

## Seated Leg Press



### Product Specifications

|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1899 x 1107 x 1747mm (L x W x H) |
| Product Weight | 210kg                            |
| Weight Stack   | 140kg                            |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.  
Leg press seat carriage roller wheel rods with shield bearing glides on oversized guides.
- **Positioning**  
Bottom and Back Seats calculated and angled to relieve pressure on the spine. It is also equipped with a textured oversized foot plate to accommodate different foot positions.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



# TWMA102

## Leg Extension



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1167 x 1055 x 1552 mm (L x W x H) |
| Product Weight | 200kg                             |
| Weight Stack   | 100kg                             |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The leg pads can be adjusted in five swivel positions. The backrest position and weight can also be adjusted in the sitting position.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA102-1

## Leg Extension



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1167 x 1055 x 1552 mm (L x W x H) |
| Product Weight | 200kg                             |
| Weight Stack   | 100kg                             |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The leg pads can be adjusted in five swivel positions. The backrest position and weight can also be adjusted in the sitting position.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



# TWMA103

## Seated Leg Curl



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1214 x 1051 x 1552 mm (L x W x H) |
| Product Weight | 200kg                             |
| Weight Stack   | 75kg                              |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The leg pads can be adjusted in five swivel positions. Large pads hold the thighs firmly in place, and the backrest position and weight can be adjusted in the sitting position.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



Strength Series Weight Machine

# TWMA103-2

## Seated Leg Curl with ROM



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1214 x 1051 x 1552 mm (L x W x H) |
| Product Weight | 200kg                             |
| Weight Stack   | 75kg                              |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The leg pads can be adjusted in five swivel positions. Large pads hold the thighs firmly in place, and the backrest position and weight can be adjusted in the sitting position.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

# TWMA131

## Leg Extension & Curl Dual



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1076 x 1206 x 1552 mm (L x W x H) |
| Product Weight | 142kg                             |
| Weight Stack   | 100kg                             |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The leg pads can be adjusted in five swivel positions. The backrest position and weight can also be adjusted in the sitting position.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA103-1

## Lying Leg Curl



### Product Specifications

|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1653 x 980 x 1552 mm (L x W x H) |
| Product Weight | 225kg                            |
| Weight Stack   | 75kg                             |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The leg pads can be adjusted in five swivel positions. The separated pads are precisely angled to provide precise hamstring and buttock stimulation.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

# TWMA104

## Adductor (Inner Thigh)



### Product Specifications

|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1524x 1485 x 1552 mm (L x W x H) |
| Product Weight | 125kg                            |
| Weight Stack   | 100kg                            |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The large pads hold the knees firmly in place. In addition, the forward weight adjustment makes it easy to change the weight, while still maintaining privacy.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA105

## Total Hip



### Product Specifications


|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1610 x 961 x 1792 mm (L x W x H) |
| Product Weight | 285kg                            |
| Weight Stack   | 75kg                             |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The exercise pad start position is finely adjustable, and exercises can be performed in all four directions: hip extension, flexion, adductors, and abductors.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

# TWMA107

## Abductor (Out Thigh)



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1524 x 1515 x 1552 mm (L x W x H) |
| Product Weight | 225kg                             |
| Weight Stack   | 75kg                              |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The large pads hold the knees firmly in place. In addition, the forward weight adjustment makes it easy to change the weight, while still maintaining privacy.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA108

## Squat & Calf



### Product Specifications


|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1051 x 1297 x 1557 mm (L x W x H) |
| Product Weight | 165kg                             |
| Weight Stack   | 75kg                              |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
Comfortable shoulder pads and foot position. Front weight stack design for easy weight adjustment.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

# TWMA109

## Adductor & Abductor Dual (Inner Out Thigh)



### Product Specifications

|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1454 x 696 x 1555 mm (L x W x H) |
| Product Weight | 137kg                            |
| Weight Stack   | 100kg                            |

### Product Features


- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The large pads hold the knee firmly in place. The starting position of the adductors and abductors can be adjusted in 13 positions. In addition, the forward weight adjustment makes it easy to change the weight, while still maintaining privacy.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



Strength Series Weight Machine

# TWMA201

## Abdominal



### Product Specifications

|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1565 x 922 x 1552 mm (L x W x H) |
| Product Weight | 215kg                            |
| Weight Stack   | 75kg                             |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
A counterbalance is used to maintain a proper position during exercise. There are also three positions for the feet to be placed, which can be used depending on the level of difficulty.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



# TWMA202

## Back Extension



### Product Specifications

|                |                                 |
|----------------|---------------------------------|
| Product Size   | 1247x 963 x 1552 mm (L x W x H) |
| Product Weight | 215kg                           |
| Weight Stack   | 100kg                           |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The starting position and foot ladder accommodate a wide range of heights. The seat is angled to allow the user to maintain a precise position during exercise.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA204

## Rotary Torso



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1009 x 1198 x 1552 mm (L x W x H) |
| Product Weight | 200kg                             |
| Weight Stack   | 75kg                              |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The large seat and knee pads keep the lower body firmly in place and allow the upper body to rotate through the maximum range of motion.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



# TWMA231

## Abdominal & Back Extension



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1076 x 1206 x 1552 mm (L x W x H) |
| Product Weight | 142kg (excluding weights)         |
| Weight Stack   | 100kg                             |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
A counterbalance is used to maintain a proper position during exercise. There are also three positions for the feet to be placed, which can be used depending on the level of difficulty.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA301

## Chest Press



### Product Specifications


|                |   |
|----------------|---|
| Product Size   | 1041 x 1531 x 1552 mm (L x W x H)                 |
| Product Weight | 190kg   |
| Weight Stack   | 100kg<br>(Optional maximum stack weight : 140kg ) |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The starting position can be adjusted in five positions, and the seat can be easily adjusted to the exercise position.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

# TWMA302

## Shoulder Press



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1426 x 1406 x 1552 mm (L x W x H) |
| Product Weight | 215kg                             |
| Weight Stack   | 75kg                              |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The exercise arm is counterweighted to reduce the weight of the exercise arm. The seat can be easily adjusted to the exercise position.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA303

## Row Pull



### Product Specifications


|                |                                  |
|----------------|----------------------------------|
| Product Size   | 2108 x 890 x 2266 mm (L x W x H) |
| Product Weight | 180kg                            |
| Weight Stack   | 100kg                            |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The seat is angled to keep you in the exact exercise position.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

# TWMA305

## Lat Pull Down



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1430 x 1180 x 2267 mm (L x W x H) |
| Product Weight | 170kg                             |
| Weight Stack   | 100kg                             |

### Product Features


- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
Pads that secure the thighs are adjustable to support the correct exercise position.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



Strength Series Weight Machine

# TWMA331

## Row Pull & Lat Pull Down



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 2031 x 1199 x 2266 mm (L x W x H) |
| Product Weight | 116kg (excluding weights)         |
| Weight Stack   | 100kg                             |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
Pads that secure the thighs are adjustable to support the correct exercise position.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



# TWMA306

## Butter Fly



### Product Specifications

|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1364 x 976 x 2102 mm (L x W x H) |
| Product Weight | 210kg                            |
| Weight Stack   | 75kg                             |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The start transition can be changed by the adjustable knob at the top, and the handlebar pivot attached to the exercise arm automatically adjusts the trajectory for any user.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA308

## Assist Chin Dip



### Product Specifications

|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1284 x 1138x 2169 mm (L x W x H) |
| Product Weight | 205kg                            |
| Weight Stack   | 100kg                            |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The weight-reducing knee pads can be folded down and used for pure chinning or dipping. The multi-grip design allows for a wide variety of training variations for both chinning and dipping.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



# TWMA309

## Arm Curl



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1306 x 1063 x 1552 mm (L x W x H) |
| Product Weight | 195kg                             |
| Weight Stack   | 75kg                              |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The seat height can be easily adjusted, and the angled arm pads and movement arms allow for precise exercises.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA310

## Butter Fly & Pec Dec Fly



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1286 x 1421 x 2107 mm (L x W x H) |
| Product Weight | 210kg                             |
| Weight Stack   | 75kg                              |

### Product Features


- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The exerciser has two positions: butterfly (peck fly) and rear delt. The starting transition can be changed by an adjustable knob at the top, and a handlebar pivot attached to the exercise arm automatically adjusts the trajectory of any exercisers.

**Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



# TWMA311

## Seated Row



### Product Specifications

|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1288 x 858 x 1940 mm (L x W x H) |
| Product Weight | 180kg                            |
| Weight Stack   | 100kg                            |

### Product Features


- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The seat can be easily adjusted, and the chest pad can be adjusted according to arm length. The multi-grip design allows for different grips to be used for different purposes, such as upper back or middle back.

**Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA312

## Incline Chest Press



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1414 x 1122 x 1740 mm (L x W x H) |
| Product Weight | 220kg                             |
| Weight Stack   | 100kg                             |


### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
Easy ratchet seat adjustment system.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



# TWMA313

## Seated Dip



### Product Specifications

|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1111 x 1259x 1552 mm (L x W x H) |
| Product Weight | 190kg                            |
| Weight Stack   | 75kg                             |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
Easy ratchet seat adjustment system.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.



Strength Series Weight Machine

# TWMA315

## Multi Press



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1718 x 1347 x 1552 mm (L x W x H) |
| Product Weight | 130kg (excluding weights)         |
| Weight Stack   | 100kg                             |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
Adjustable backrest angle allows flat bench press, incline bench press, and chest press to be performed on one machine. Easy ratchet seat adjustment system.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

# TWMA401

## Cable Cross Over



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 3491 x 1183 x 2380 mm (L x W x H) |
| Product Weight | 460kg                             |
| Weight Stack   | 100kg x 2                         |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The cable position can be changed with one hand. It has a standard, multi-grip chin-up handlebar.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

Strength Series Weight Machine

# TWMA402

## Dual Pulley



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1623 x 1079 x 2340 mm (L x W x H) |
| Product Weight | 500kg                             |
| Weight Stack   | 140kg x 2                         |

### Product Features

- **Genuine commercial use.**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel and the base frame is factory assembled. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth Exercise Feel**  
Hard chrome plated guide rods and low friction bushings provide a smooth exercise experience.
- **Positioning**  
The cable position can be changed with one hand. 1:4 lifting ratio (multiple moving pulleys) reduces inertia. Standard, multi-grip chin-up handlebar is included.
- **Perfect Safety**  
The full shroud (weight cover) is made of high-grade acrylic panels.

## Strength Equipment Colors



Upholstery Colors



Brown Wooden Weight Stack Cover




Dark Wooden Weight Stack Cover

### Seat Colors



### Frame Colors



Standard frame and upholstery colors : black.  
The custom colors and weight stack covers, as shown, are available for an additional fee.

Strength Series Pure Plate

# PPRP101

## Rotary Pull Down



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 1259 x 1093 x 2045 mm (L x W x H) |
| Product Weight       | 130Kg                             |
| Starting weight      | 1.5kg                             |
| Max. training weight | 240Kg                             |
| Max. loading weight  | 120kg                             |

### Product Features

- **Moving trajectory of arm**  
Circle trajectory from the top
- **Exercise arm**  
Unilateral system
- **Grip position**  
Parallel and wide grip positions
- **Weight Holder**  
1 position
- **Positioning**  
Ergonomically designed to provide a natural trajectory
- **Seat setting**  
Easy and safe seat setting



# PPHR102

## High Row



### Product Specifications

|                      |                                  |
|----------------------|----------------------------------|
| Product Size         | 1940x 1243 x 2040 mm (L x W x H) |
| Product Weight       | 148Kg                            |
| Starting weight      | 0.3kg                            |
| Max. training weight | 240Kg                            |
| Max. loading weight  | 240kg                            |

### Product Features

- **Moving trajectory of arm**  
Wide trajectory from the top
- **Exercise arm**  
Unilateral system
- **Grip position**  
Free position with ball joint
- **Weight Holder**  
2 position
- **Positioning**  
Calculated weight arm activation provides proper variable resistance training
- **Seat setting**  
Easy and safe seat setting

Strength Series Pure Plate

# PPFR103

## Front Row



### Product Specifications

|                      |                                 |
|----------------------|---------------------------------|
| Product Size         | 1364x 1374x 1240 mm (L x W x H) |
| Product Weight       | 108Kg                           |
| Starting weight      | 1kg                             |
| Max. training weight | 240Kg                           |

### Product Features

- **Moving trajectory of arm**  
Wide trajectory from the front
- **Exercise arm**  
Unilateral system
- **Grip position**  
Narrow and wide positions
- **Weight Holder**  
None
- **Positioning**  
Ergonomically designed to provide a natural trajectory
- **Seat setting**  
Easy and safe seat and chest pad position setting



# PPLR104

## Low Row



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 1450 x 1382 x 1652 mm (L x W x H) |
| Product Weight       | 115Kg                             |
| Starting weight      | 3.5kg                             |
| Max. training weight | 240Kg                             |
| Max. loading weight  | 480kg                             |

### Product Features

- **Moving trajectory of arm**  
Wide trajectory from lower front
- **Exercise arm**  
Unilateral system
- **Grip position**  
1 position of multi-grip
- **Weight Holder**  
4 position
- **Positioning**  
Calculated weight arm trajectories provide proper variable resistance training
- **Seat setting**  
Easy and safe seat and chest pad position setting



Strength Series Pure Plate

# PPCP105

## Chest Press



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 1230 x 1205 x 1817 mm (L x W x H) |
| Product Weight       | 135Kg                             |
| Starting weight      | 1.3kg                             |
| Max. training weight | 240Kg                             |
| Max. loading weight  | 400kg                             |

### Product Features

- **Moving trajectory of arm**  
Narrow trajectory to front
- **Exercise arm**  
Unilateral system
- **Grip position**  
2 positions: parallel and wide
- **Weight Holder**  
4 position
- **Positioning**  
Ergonomically designed to provide a natural trajectory
- **Seat setting**  
Easy and safe seat and back pad position setting

# PPSP106

## Shoulder Press



### Product Specifications

|                      |                                  |
|----------------------|----------------------------------|
| Product Size         | 1339 x 1541 x 1286mm (L x W x H) |
| Product Weight       | 90Kg                             |
| Starting weight      | 6kg                              |
| Max. training weight | 240Kg                            |
| Max. loading weight  | 480kg                            |


### Product Features

- **Moving trajectory of arm**  
Narrow trajectory to the top
- **Exercise arm**  
Unilateral system
- **Grip position**  
1 position of multi-grip
- **Weight Holder**  
4 position
- **Positioning**  
Calculated weight arm trajectories provide proper variable resistance training
- **Seat setting**  
Easy and safe seat and back pad position setting

Strength Series Pure Plate

# PPVS107

## V Squat



### Product Specifications


|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 1892 x 1261 x 1723 mm (L x W x H) |
| Product Weight       | 140Kg                             |
| Starting weight      | 27kg                              |
| Max. training weight | 320Kg                             |
| Max. loading weight  | 480kg                             |

### Product Features

- **Moving trajectory of load unit**  
Backward arc trajectory
- **Weight Holder**  
4 position
- **Positioning**  
Large back and shoulder pads provide safe exercise
- **Exercise**  
2 positions: squat and hack squat
- **Foot Plate**  
Adjustable angle for different exercises
- **Seat setting**  
Easy and safe seat and chest pad position setting

# PPLP108

## Power Leg Press



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 2244 x 1461 x 1650 mm (L x W x H) |
| Product Weight       | 250Kg                             |
| Starting weight      | 45Kg                              |
| Max. training weight | 640kg                             |
| Max. loading weight  | 400Kg                             |


### Product Features

- **Moving trajectory of load unit**  
Arc trajectory
- **Weight Holder**  
4 position
- **Positioning**  
Ergonomically designed to provide a natural trajectory
- **Seat setting**  
Easy and safe seat and chest pad position setting
- **Size**  
Space-efficient size

Strength Series Pure Plate

# PPHS109

## Hack Squat



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 1999 x 1498 x 1347 mm (L x W x H) |
| Product Weight       | 140Kg                             |
| Starting weight      | 32kg                              |
| Max. training weight | 240kg                             |
| Max. loading weight  | 440Kg                             |

### Product Features

- **Moving trajectory of load unit**  
Backward arc trajectory
- **Weight Holder**  
6 position
- **Positioning**  
Ergonomically designed to provide a natural trajectory
- **Exercise**  
Exercises minimize strain on hips and knees



# PPLR110

## Lateral Raise



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 1151 x 1051 x 1250 mm (L x W x H) |
| Product Weight       | 75Kg                              |
| Starting weight      | 1.8Kg                             |
| Max. training weight | 240kg                             |
| Max. loading weight  | 240Kg                             |

### Product Features


- **Positioning**  
Ergonomic design for stable movement
- **Seat setting**  
Easy and safe seat position setting
- **Size**  
Space-efficient size



Strength Series Pure Plate

# PPHT111

## Hip Thrust



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 1165 x 1690 x 1076 mm (L x W x H) |
| Product Weight       | 100Kg                             |
| Starting weight      | 20kg                              |
| Max. training weight | 150Kg                             |

### Product Features

- **Positioning**  
Ergonomic design for stable movement
- **Pad setting**  
Optimal pad position design
- **Size**  
Space-efficient size



# PPFT112

## Full Body Trainer



### Product Specifications

|                      |   |
|----------------------|---|
| Product Size         | 1086.9 x 1250.9 x 2044.6 mm (L x W x H) |
| Product Weight       | 130kg                                   |
| Starting weight      | 9.5kg                                   |
| Max. training weight | 280kg                                   |
| Max. loading weight  | 280kg                                   |

### Product Features

- **Exercise**  
Lower body workout to develop hamstrings, adductors, glutes: Squats, Lunges, Deadlifts, etc.
- **Weight Holder**  
4 position
- **Positioning**  
The Squat Lunge machine facilitates functional, lifting from the ground movements, that improve strength, coordination, and stability.
- **Size**  
Space-efficient size





Strength Series Free Weight

# TWF104

## Plate Load Flat Bench



### Product Specifications

|                     |                                  |
|---------------------|----------------------------------|
| Product Size        | 1615 x 1337 x 946 mm (L x W x H) |
| Product Weight      | 90kg                             |
| Max. loading weight | 280kg                            |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth trajectory**  
Independent left and right arm trajectories provide more exercises.
- **Positioning**  
Long seat accommodates a wide range of users.



# TWF105

## Plate Load Incline Bench



### Product Specifications

|                     |                                   |
|---------------------|-----------------------------------|
| Product Size        | 1606 x 1324 x 1170 mm (L x W x H) |
| Product Weight      | 100kg                             |
| Starting weight     | 4kg                               |
| Max. loading weight | 280kg                             |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth trajectory**  
Independent left and right arm trajectories provide more exercises.
- **Positioning**  
The bottom seat height is adjustable to accommodate a wide range of users. The angle of the incline is also adjustable to provide more variation in exercises.

Strength Series Free Weight

# TWF106

## Plate Load Decline Bench



### Product Specifications

|                     |                                  |
|---------------------|----------------------------------|
| Product Size        | 2011 x 1352 x 958 mm (L x W x H) |
| Product Weight      | 100kg                            |
| Max. loading weight | 280kg                            |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Smooth trajectory**  
Independent left and right arm trajectories provide more exercises.
- **Positioning**  
The bottom seat height is adjustable to accommodate a wide range of users. The angle of the incline is also adjustable to provide more variation in exercises.



# TWF201

## Flat Bench



### Product Specifications

|                |                                 |
|----------------|---------------------------------|
| Product Size   | 1230 x 440 x 400 mm (L x W x H) |
| Product Weight | 13kg                            |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Stable Installation**  
3 placement surfaces provide stable exercise.
- **Positioning**  
Firm pads with cushioning provide exercise stability.

Strength Series Free Weight

# TWF202

## Olympic Flat Bench



Optional weight storage

### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1237 x 1246 X 1266 mm (L x W x H) |
| Product Weight | 68kg                              |

### Product Features

- Robust frame**  
 This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- Stable Installation**  
 3 placement surfaces provide stable exercise.
- Bar Catcher**  
 Angled frame for easy bar placement and stable bar catcher for secure exercise.
- Positioning**  
 Firm, cushioned pad provides stability for exercises.
- Options**  
 Weight storage (sold separately)



Strength Series Free Weight

# TWF204

## Olympic Incline Bench



Optional weight storage

### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1408 x 1405 x 1288 mm (L x W x H) |
| Product Weight | 68kg                              |

### Product Features

- Robust frame**  
 This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- Stable Installation**  
 3 placement surfaces provide stable exercise.
- Bar Catcher**  
 Angled frame for easy bar placement and stable bar catcher for secure exercise.
- Positioning**  
 Firm, cushioned pad provides stability for exercises. Bottom seat automatically sets at a stable angle to match the long seat.
- Options**  
 Weight storage (sold separately)



# TWF205

## Olympic Decline Bench



Optional weight storage

### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1726 x 1350 x 1266 mm (L x W x H) |
| Product Weight | 68kg                              |

### Product Features

- Robust frame**  
 This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- Stable Installation**  
 3 placement surfaces provide stable exercise.
- Bar Catcher**  
 Angled frame for easy bar placement and stable bar catcher for secure exercise.
- Positioning**  
 The vent knee pads are adjustable to accommodate a wide range of users.
- Options**  
 Weight storage (sold separately)

# TWF203

## Multi Bench



### Product Specifications

|                |                                 |
|----------------|---------------------------------|
| Product Size   | 1345 x 760 x 450 mm (L x W x H) |
| Product Weight | 35kg                            |

### Product Features

- Robust frame**  
 This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- Stable Installation**  
 3 placement surfaces provide stable exercise.
- Positioning**  
 Firm, cushioned pad stabilizes exercisers. Bottom seat automatically sets at a stable angle to match the long seat.
- Moving Wheels**  
 The unit is fitted with moving wheels for easy transportation into racks or open spaces.



Strength Series Free Weight

# TWF206

## 80 degree Utility Bench



### Product Specifications

|                |                                |
|----------------|--------------------------------|
| Product Size   | 710 x 900 x 900 mm (L x W x H) |
| Product Weight | 23kg                           |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Stable Installation**  
3 placement surfaces provide stable exercise.
- **Positioning**  
The firm, cushioned pad and backrest seat set at 80 degrees allow for a variety of exercises.

# TWF209

## Crunch Bench



### Product Specifications

|                |   |
|----------------|---|
| Product Size   | 1504 x 760 x 1014 mm (L x W x H)<br>60.2" L x 30.7" W x 34.2" H |
| Product Weight | 45kg  |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Stable Installation**  
3 placement surfaces provide stable exercise.
- **Positioning**  
The angle adjustment with air damper system allows easy setting from flat to declined position.
- **Moving Wheels**  
The wheel is mounted for easy transportation to an open space.

Strength Series Free Weight

# TWF210

## Supine Olympic Flat Bench



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1740 x 1755 x 1257 mm (L x W x H) |
| Product Weight | 72kg                              |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Stable Installation**  
3 placement surfaces provide stable exercise.
- **Bar Catcher**  
Angled frame for easy bar placement and stable bar catcher for secure exercise.
- **Positioning**  
Firm, cushioned pad provides stability for exercises.
- **Plate Holder**  
The plate horns are pre-set in an easily accessible position on the exercise shaft.

# TWF210-2

## Advanced Supine Bench



### Product Specifications

|                |  |
|----------------|--|
| Product Size   | 1296 x 1717 x 1249 mm (L x W x H)<br>67.7" L x 74.2" W x 49.2" H |
| Product Weight | 68kg   |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Stable Installation**  
3 placement surfaces provide stable exercise.
- **Bar Rack**  
Angled bar rack design for easy lift-off and spotter access. Two hard chrome lift-off positions protect paint finish.
- **Positioning**  
Equipped with safety bar for user safety (height adjustable). Equipped with standing plate for supporter.
- **Plate Holder**  
The plate horns are pre-set in an easily accessible position on the exercise shaft.

Strength Series Free Weight

# TWF211

## Arm Curl Rack



### Product Specifications

|                |                                  |
|----------------|----------------------------------|
| Product Size   | 1180 x 734 x 1160 mm (L x W x H) |
| Product Weight | 50kg                             |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Positioning**  
Arm cushions set at two different angles provide the preferred exercise.

Strength Series Free Weight

# TWF214

## T-Bar Row



### Product Specifications

|                      |                                 |
|----------------------|---------------------------------|
| Product Size         | 1890 x 761 x 400 mm (L x W x H) |
| Product Weight       | 20kg                            |
| Starting weight      | 7kg                             |
| Max. training weight | 160kg                           |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Positioning**  
Unique floating straight resistance bar provides adequate load for the full range of motion.

# TWF213

## Roman Chair



### Product Specifications

|                |                                 |
|----------------|---------------------------------|
| Product Size   | 1388 x 910 x 700 mm (L x W x H) |
| Product Weight | 35kg                            |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Positioning**  
The angle of the incline can be adjusted to reduce the load. The length of the waist pad can also be adjusted, and an assist knob is set to prevent rattling.

# TWF219

## Adjustable Multi Decline Bench



### Product Specifications

|                |   |
|----------------|---|
| Product Size   | 1204 x 455 x 1302 mm (L x W x H)<br>53.1" L x 31.1" W x 17.5" H |
| Product Weight | 38kg  |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Stable Installation**  
3 placement surfaces provide stable exercise.
- **Positioning**  
One-point adjustment for backrest pad and seat pad. Adjustable from -10 to 80 degrees.
- **Moving Wheels**  
Handles and moving wheels are attached for easy movement into racks or into open spaces.



Strength Series Free Weight

# TWF302

## Power Rack



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 1916 x 1808 x 2326 mm (L x W x H) |
| Product Weight       | 159kg                             |
| Max. User Weight     | 159kg                             |
| Max. training weight | 800kg                             |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Laser cut**  
The position of the bar catcher safety arm can be clearly set with a laser-cut position engraving.
- **Chin-up handle**  
A multi-grip chin-up handle is fitted.
- **Bar & Plate Storage**  
Plates can be hung from 5 plate horns on the left and right, and bars can be hung from 2 hooks on the left and right.
- **Positioning**  
The bar catcher safety arm can be set low to the deadlift position



# TWF303

## Squat Rack



### Product Specifications

|                |                                   |
|----------------|-----------------------------------|
| Product Size   | 1720 x 1755 X 1890 mm (L x W x H) |
| Product Weight | 110kg                             |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Bar & Plate Storage**  
4 plate horns are set in the left and right positions for easy access to the exercise bar.
- **Positioning**  
5 levels of bar catchers are available to accommodate a wide range of users. A sturdy safety arm ensures user safety in the event that the bar falls during exercise.

Strength Series Free Weight

# TWF304

## Chinning Dipping



### Product Specifications

|                |   |
|----------------|---|
| Product Size   | 1490 x 910 X 2210 mm (L x W x H)<br>49.3" L X 44.4" W X 89.8" H |
| Product Weight | 64kg  |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Chin-up handle**  
The chin-up handle is fitted with a multi-grip.
- **Positioning**  
Firm back pad and elbow pad for precise vertical Knee Raise with precision. A support step provides easy access to the exercise position.



# TWF305

## Multi Rack



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 2014 x 2024 x 2334 mm (L x W x H) |
| Product Weight       | 180kg                             |
| Max. user weight     | 159kg                             |
| Starting weight      | 5kg                               |
| Max. training weight | 225kg                             |
| Max. loading weight  | 1200kg                            |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Multi-functional**  
Functional product that combines the functions of Half Rack and Smith Machine.
- **Chin-up handle**  
A multi-grip chin-up handle is fitted.
- **Bar & Plate Storage**  
Plates can be hung from 5 plate horns on the left and right, and bars can be hung from 2 hooks on the left and right.
- **Positioning**  
The bar catcher safety arm can be set low to the deadlift position

Strength Series Free Weight

# TWF308

## Half Rack



### Product Specifications

|                      |   |
|----------------------|---|
| Product Size         | 1466 x 1807 x 2327 mm (L x W x H)                       |
| Product Weight       | 120kg   |
| Max. user weight     | 159kg   |
| Max. training weight | Bolted to the floor : 500kg<br>Stand-alone type : 250kg |
| Max. loading weight  | 1200kg  |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Chin-up handle**  
A multi-grip chin-up handle is fitted.
- **Bar & Plate Storage**  
Plates can be hung from 5 plate horns on the left and right, and bars can be hung from 2 hooks on the left and right.
- **Positioning**  
The bar catcher safety arm can be set low to the deadlift position

# TWF402 & TWF402-3

## Dumbbell Rack (2-tier) & Dumbbell Rack (3-tier)



### Product Specifications

#### Dumbbell Rack 2-Tier (10P)

|                     |                                |
|---------------------|--------------------------------|
| Product Size        | 670 x 1740 x 940mm (L x W x H) |
| Product Weight      | 30kg                           |
| Max. loading weight | 1000kg                         |

#### Dumbbell Rack 3-Tier (15P)

|                     |                                  |
|---------------------|----------------------------------|
| Product Size        | 738 x 2295 x 1034 mm (L x W x H) |
| Product Weight      | 45kg                             |
| Max. loading weight | 1500kg                           |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Positioning**  
Dumbbell Rack 2-Tier : Holds a total of 10 pairs of dumbbells.  
Dumbbell Rack 3-Tier : Holds a total of 15 pairs of dumbbells.

Strength Series Free Weight

# TWF403

## Plate Tree



### Product Specifications

|                     |                                |
|---------------------|--------------------------------|
| Product Size        | 700 x 530 x 1150mm (L x W x H) |
| Product Weight      | 22kg                           |
| Max. loading weight | 600kg                          |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Plate Storage**  
3 weight horns are set at the left and right (6 total).

# TWF403-1

## Plate Tree & Bar Holder



### Product Specifications

|                     |                                |
|---------------------|--------------------------------|
| Product Size        | 593 x 913 x 924 mm (L x W x H) |
| Product Weight      | 28kg                           |
| Max. loading weight | 615kg                          |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Plate Storage**  
3 weight horns are set at the left and right (6 total).
- **Bar Storage**  
2 bar holders are set at the front and rear.



Strength Series Free Weight

# TWF404

## Barbell Rack



### Product Specifications

|                     |                                 |
|---------------------|---------------------------------|
| Product Size        | 780 x 840 x 1465 mm (L x W x H) |
| Product Weight      | 30kg                            |
| Max. loading weight | 300kg                           |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Barbell Storage**  
5 bar holders are set at the front and rear (10 total).



# TWF406

## Twist



### Product Specifications

|                |   |
|----------------|---|
| Product Size   | 1305 x 650 X 1276 mm (L x W x H)<br>51.3" L x 26" W x 50.2" H |
| Product Weight | 30kg  |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Positioning**  
Exercises can be performed in two types of positions: seated and standing.

Strength Series Free Weight

# TWF407

## Vertical Dumbbell Rack



### Product Specifications

|                |                                 |
|----------------|---------------------------------|
| Product Size   | 673 x 486 x 1583 mm (L x W x H) |
| Product Weight | 29kg                            |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Dumbbell Storage**  
20 dumbbells (1-10 kg) in a space of 1m<sup>2</sup> or less.
- **Storage for small items**  
An upper tray is provided for storing small items such as cell phones and bottles.
- **Safer**  
Plastic safety cover protects hands (fingers) and dumbbells.



# TWF601 & TWF602

## Sit Up Bench (Single) & Sit Up Bench (Duo)



### Product Specifications

|                              |  |
|------------------------------|--|
| <b>Sit Up Bench (Single)</b> |  |
| Product Size                 | 650 x 1915 x 1195 mm (L x W x H)<br>84.0" L x 27.7" W x 46.9" H  |
| Product Weight               | 25kg   |
| <b>Sit Up Bench (Duo)</b>    |  |
| Product Size                 | 2091 x 1270 x 1239 mm (L x W x H)<br>84.0" L x 50.0" W x 46.9" H |
| Product Weight               | 45kg   |

### Product Features

- **Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- **Assist Handles**  
An assist handle is provided to facilitate entry and exit.

Strength Series Free Weight

# TWF501

## Power Leg Press



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 2420 x 1330 x 1400 mm (L x W x H) |
| Product Weight       | 178kg                             |
| Starting weight      | 35kg                              |
| Max. training weight | 640kg                             |
| Max. loading weight  | 400kg                             |

### Product Features

- Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- Smooth Exercise Feel**  
Smooth chrome-plated guide rails and linear bearings allow the foot carriage to be pushed up smoothly.
- Plate Storage**  
Plates are set up with 2 plate horns on the left and right side
- Positioning**  
Adjustable back pad angle and large foot plate accommodate a variety of users.



# TWF701

## Angled Smith Machine



### Product Specifications

|                      |  |
|----------------------|--|
| Product Size         | 2190 x 1397 x 2219 mm (L x W x H)<br>50" L x 87.2" W x 88" H |
| Product Weight       | 160kg  |
| Starting weight      | 7kg  |
| Max. training weight | 240kg  |
| Max. loading weight  | 800kg  |

### Product Features

- Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- Smooth Exercise Feel**  
Smooth chrome-plated guide rails and linear bearings allow the foot carriage to be pushed up smoothly.
- Plate Storage**  
Plates are set up with 4 plate horns on the left and right side
- Lighter**  
The exercise bar is counterweighted and weighs approximately 7 kg without plates mounted.
- Safer**  
Safety blocks can be set up to provide a safe.
- Positioning**  
The exercise bar is angled at 7 degrees for squat and press movements.

Strength Series Free Weight

# TWF702-1

## Vertical Smith Machine



### Product Specifications

|                      |                                   |
|----------------------|-----------------------------------|
| Product Size         | 1267 x 2215 x 2240 mm (L x W x H) |
| Product Weight       | 160kg                             |
| Starting weight      | 5kg                               |
| Max. training weight | 240kg                             |
| Max. loading weight  | 600kg                             |

### Product Features

- Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- Smooth Exercise Feel**  
Smooth chrome-plated guide rails and linear bearings allow the foot carriage to be pushed up smoothly.
- Plate Storage**  
Plates are set up with 3 plate horns on the left and right side
- Lighter**  
The exercise bar is counterweighted and weighs approximately 5 kg without plates mounted.
- Safer**  
Safety blocks can be set up to provide a safe.



# TWF308-1

## Half Rack with Deadlift Sling



### Product Specifications

|                      |  |
|----------------------|--|
| Product Size         | 1466 x 1807 x 2327 mm (L x W x H)<br>57.7" L x 71.1" W x 91.6" H |
| Product Weight       | 120kg  |
| Max. user weight     | 159kg  |
| Max. training weight | Bolted to the floor : 500kg<br>Stand-alone type : 250kg          |
| Max. loading weight  | 1200kg   |

### Product Features

- Robust frame**  
This heavy-duty machine is constructed of 2" x 4" square tube 9 gauge (approximately 3mm thick) steel. The paint is also powder coated with a beautiful clear gloss finish.
- Chin-up handle**  
A multi-grip chin-up handle is fitted.
- Bar & Plate Storage**  
Plates can be hung from 5 plate horns on the left and right, and bars can be hung from 2 hooks on the left and right.
- Positioning**  
The bar catcher safety arm can be set low to the deadlift position
- Deadlift Sling**



Strength Series Free Weight

# Free Weight Custom Colors



Strength Series GoFlex

# DGAI GoFlex



## DGA GoFlex



### Product Specifications

|                  |  |
|------------------|--|
| Product Size     | 1659 x 870 x 1650 mm (LxW xH)  |
| Weight           | 140 kg   |
| Operating System | Android  |
| Programs         | 100+ exercises for every body part   |
| Screen Display   | Tempered glass protection 21.5-inch Full HD LED display Capacitive touchscreen |
| Power used       | DC 12V   |

### Product Features

- Multi-functional with stretching for each body part
- Excellent for injury recovery and pain management
- Equipped with video of 100 movements
- Efficient space organization
- Scientifically engineered and designed




### Product Feature

- Multi-functional with stretching for each body part
- Excellent for injury recovery and pain management
- Equipped with video of 100 movements
- Efficient space organization
- Scientifically engineered and designed
- Video can be updated over the network



### Product Specifications

|                  |  |
|------------------|--|
| Product Size     | 1659 x 870 x 1650 mm (LxW xH)  |
| Weight           | 140 kg   |
| Operating System | Android  |
| Programs         | 100+ exercises for every body part   |
| Screen Display   | Tempered glass protection 21.5-inch Full HD LED display Capacitive touchscreen |
| Power used       | DC 12V   |







# DRAXfit


A digital fitness platform that helps members exercise effectively and trainers coach efficiently.

## DRAXfit Total Management System

01

**Membership Payment • Access Control • Membership Management**

( Facial Recognition, Fingerprint Recognition, QR, OTP, NFC, App Authentication )



02

**Digital Locker System 1**


( Storage for Workout Attire, Towels )



03

**Digital Locker System 2**


( Personal Belongings Locker )



04

**Digital Locker System 3**


( Shower Room Locker )



05

**Comprehensive Body Assessment System - GoTest**

( Blood Pressure, Grip Strength, Height, Weight, Flexibility, Body Composition )



06

**Digital Vending Machine**

( Pay first or pay later )




DRAXfit

## Product Features


- Sports Science-Based Artificial Intelligence Fitness Platform
- Personalized Exercise Management System through User Recognition
- Today's Workout Guide Using the DRAXfit App
- Cloud Server-Based Exercise Results and Achievement Evaluation
- DRAXfit Touchscreen IoT Exercise Equipment-Based Exercise Guide
- AI and Measurement System-Based Automatic Exercise Load Control

## DRAXfit Exercise Guide - AI RAX




**DRAXfit Mirror**

T-Mirror, L-Mirror



**DRAXfit Weight Machine**

IoT Sensor-Based Exercise Routine Guide



**DRAX Cardio Equipment**

Treadmill, Bike, Elliptical, Stair Climber

**DRAXfit GoFlex**

Stretching

Promoting a healthy lifestyle through systematic exercise and management grounded in data- driven approaches

DRAXfit

KIOSK

# DSK3000

## DRAXfit Kiosk



### Product Features

- Real-time Integration of DRAXfit System and Exercise Equipment Results via Cloud Server
- Personalized Exercise Management System via User Login
- Administrator Mode: Smart Band Registration/De-registration, Member Information Retrieval
- Exercise Program Inquiry: Real-time Access to Customized Expert Exercise Programs
- Display of Exercise Results and Next Exercise Guidance
- Support for Member Mode and Administrator Mode
- Integration with Locker and Automatic Entry/Exit Devices
- Management of Locker Assignments
- Playback Functionality for Center Information, Promotion, and Advertisement Videos
- Playback Functionality for Exercise Instruction Videos

### Product Specifications

|                  |   |
|------------------|---|
| Display          | 21.5-inch Full HD LCD, Capacitive Touchscreen |
| Operating System | Android                                       |
| Network          | LAN   |
| Login Method     | NFC tag                                       |
| Product Size     | 350 x 335 x 1610 mm (L x W x H)               |
| Power            | DC 12V  |

DRAXfit

GoFlex

# GoFlex

## DRAXfit GoFlex



### Product Features

- Digital Platform: Real-time storage of exercise results on cloud data servers
- Personalized exercise management system through user login
- Daily exercise results inquiry feature via mobile devices
- Confirmation of today's exercise via mobile devices
- Display of exercise results and guidance for the next exercise
- Multi-functionality enabling stretching by body parts
- Excellent features for injury recovery and pain management
- Efficient spatial configuration with 100 types of exercise videos
- Scientific design and aesthetics

### Product Specifications

|                  |  |
|------------------|--|
| Display          | 21.5-inch Full HD LCD, capacitive touch screen |
| Operating System | Android  |
| Network          | LAN  |
| Login Method     | RFID/NFC tag                                   |
| Product Size     | 1659 x 870 x 1650 mm (L x W x H)               |
| Power            | DC 12V   |





DRAXfit

Smart Mirror

# MIRROR-T

## DRAXfit Mirror-T




### Product Features

- Digital Platform: Real-time storage of exercise results on cloud data servers
- Personalized exercise management system through user login
- Ability to view daily exercise results via mobile devices
- Check today's exercise through mobile devices
- Display of exercise results and guidance for the next exercise
- Implementation of multi-functionality allowing stretching by body part
- Integration of 150 exercise videos
- Efficient space arrangement
- Scientifically designed with an emphasis on design

### Product Specifications

|                  |   |
|------------------|---|
| Display          | 32-inch Full HD LCD, capacitive touchscreen |
| Operating System | Android                                     |
| Network          | LAN   |
| Login Method     | RFID/NFC tag                                |
| Product Size     | 1464 x 1560 x 2094 mm (L x W x H)           |
| Power            | 220V, 60Hz                                  |



DRAXfit

Smart Mirror

# MIRROR-L

## DRAXfit Mirror-L



### Product Features

- Digital Platform: Real-time storage of exercise results on cloud data server
- Personalized exercise management system through user login
- Ability to view daily exercise results on mobile devices
- Check today's exercise on mobile devices
- Display of exercise results and guidance for the next exercise
- Multi-functionality allowing stretching by body parts
- Incorporation of 150 different exercise videos
- Efficient space utilization
- Scientifically designed with emphasis on aesthetics

### Product Specifications

|                  |  |
|------------------|--|
| Display          | 32-inch Full HD LCD with capacitive touch screen |
| Operating System | Android  |
| Network          | LAN  |
| Login Method     | RFID/NFC tag                                     |
| Product Size     | 811 x 1549 x 2094 mm (L x W x H)                 |
| Power            | 220V, 60Hz                                       |





# GoTEST

## Digital Comprehensive Fitness Assessment System



# GoTEST

## Digital Comprehensive Fitness Assessment System

### Product Specifications

|                  |  |
|------------------|--|
| Display          | 32-inch Full HD LCD, capacitive touch screen |
| Operating System | Android                                      |
| Network          | LAN  |
| Login Method     | RFID/NFC tag, QR, OTP                        |
| Product Size     | 1000 x 300 x 2094 mm (L x W x H)             |
| Power            | 220V, 60Hz                                   |

### Product Features

- Comprehensive measurement system for fitness assessment covering key indicators
- Measurement Items: Strength (Grip), Flexibility (Vision), Balance (Vision), Weight, Body Composition
- Digital platform: Real-time storage of measurement results on cloud data server
- Personalized measurement and ongoing management of fluctuations via user login
- Access to measurement records through mobile devices
- Utilization of various exercise indices (Fitness Index) for inference and reference in exercise prescription standards

## DRAXfit System – Height and Weight Measurement Device

### Product Specifications

|                  |  |
|------------------|--|
| Display          | 10.1-inch LCD, capacitive touch screen |
| Operating System | Android                                |
| Network          | LAN                                    |
| Login Method     | RFID/NFC tag, QR, OTP                  |
| Product Size     | 330 x 526 x 2200 mm (L x W x H)        |
| Power            | 220V, 60Hz                             |





Professional Equipments **Drax Infinity**

# Drax Infinity Series



## Bilateral Stability Control

Improves left/right body balance and activates left/right brain

## Converging Diverging Arc

Trajectory optimized for anatomy, maximizing exercise effectiveness

## Unilateral Independent Movement

Independent left and right movement

Strength Series **DRAX INFINITY**

# SI-1-OLP

## OMNI LEG PRESS



### Product Features

- Patented Bilateral Stability Control for balanced strength development
- Dual operation - seated and lying Leg Press options
- Multi angle backrest positioning
- User friendly starting position adjustment mechanism, easily accessible from seated or lying position
- Large foot plate for variable foot positioning Overhead pivoting and converging compound arc for safe and natural movement
- All adjustments & weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface
- Low profile weight stack frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick
- Ultra-heavy weight stacks

### Product Specifications

|                |   |
|----------------|---|
| Product Size   | · 2134 x 934 x 1370 mm (L x W x H)<br>· 84" L x 36.7" W x 54" H |
| Product Weight | · 543kg   |
| Weight Stack   | · 195kg   |

# SI-1-OLR

## OMNI LAT PULL DOWN / ROW



### Product Features

- Dual operation Unilateral Lat Pull Down & Unilateral Seated Row
- No cable changes necessary
- Adjustable height thigh pad on Lat Pull Down
- Dual pivoting pulley housings allows unilateral, user defined movement variations
- Weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | · 2128 x 1616 x 2300 mm (L x W x H)<br>· 83.7" L x 63.6" W x 90.5" H |
| Product Weight | · 394kg  |
| Weight Stack   | · 148kg  |



Strength Series DRAX INFINITY

# SI-1-PRD

## PEC/REAR DELT FLY



### Product Features

- Dual operation Pec Fly and Rear Delt Fly movements
- Unilateral operation for balanced strength development
- Range of motion adjustment for optimal pre-stretch
- Handles pivot to accommodate arm length and desired path of motion
- Gas assisted seat adjustment
- All adjustments and weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | · 1034 x 1467 x 1840 mm (L x W x H)<br>· 40.7" L x 57.7" W x 72.4" H |
| Product Weight | · 347kg  |
| Weight Stack   | · 148kg  |

# SI-1-CP

## CHEST PRESS



### Product Features

- Overhead pivoting and converging compound arc for safe and natural movement
- Unilateral operation for balanced strength development
- Dynamic variable resistance to correctly maximize muscle recruitment
- Range of Motion (R.O.M) handle adjustment for pre-stretch
- Low profile weight stack frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick
- Gas assisted seat height adjustment
- All adjustments & weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface
- Ultra-heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | · 1310 x 1440 x 2025 mm (L x W x H)<br>· 51.5" L x 56.6" W x 79.7" H |
| Product Weight | · 356kg  |
| Weight Stack   | · 148kg  |

Strength Series DRAX INFINITY

# SI-1-SD

## SEATED DIP



### Product Features

- Bilateral Stability Control for balanced strength development
- Gas assisted seat adjustment
- All adjustments & weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | · 1333 x 1152 x 1393 mm (L x W x H)<br>· 52.4" L x 45.3" W x 54.8" H |
| Product Weight | · 333kg  |
| Weight Stack   | · 148kg  |

# SI-1-SR

## SUPPORTED ROW



### Product Features

- Overhead pivoting and converging compound arc for safe and natural movement
- Unilateral operation for balanced strength development
- Dynamic variable resistance to correctly maximize muscle recruitment
- Rotating ergonomic handles for unlimited grip position options during movement
- Adjustable chest support pad to achieve optimal pre-stretch
- Foot plates allow unsupported movement option Rear pivoting and converging compound arc for safe and natural movement
- Gas assisted seat height adjustment
- All adjustments & weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface
- Low profile weight stack frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick
- Ultra-heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | · 1387 x 1085 x 1848 mm (L x W x H)<br>· 54.6" L x 42.7" W x 72.7" H |
| Product Weight | · 364kg  |
| Weight Stack   | · 148kg  |

Strength Series DRAX INFINITY

# SI-1-LM

## LAT MACHINE



### Product Features

- Diverging compound arc for safe and natural movement
- Unilateral operation for balanced strength development
- Dynamic variable resistance to correctly maximize muscle recruitment
- Rotating ergonomic handles for unlimited grip position options during movement
- Gas assisted seat height adjustment
- All adjustments & weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | · 1585 x 1457 x 2061 mm (L x W x H)<br>· 62.4" L x 57.3" W x 81.1" H |
| Product Weight | · 366kg  |
| Weight Stack   | · 148kg  |

# SI-1-LE

## LEG EXTENSION



### Product Features

- Patented Bilateral Stability Control for balanced strength development
- Variable resistance cam to provide greater resistance throughout the range of motion
- Range of Motion adjustment for optimal pre-stretch
- Centre drive mechanism prevents torsional flexion and allows easy, user friendly side entry
- Raised and contoured lower posterior thigh support padding to ensure maintenance of correct knee alignment during movement
- Gas assisted back rest adjustment
- Adjustable tibia pads to suit all user heights
- All adjustments & weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface
- Low profile weight stack frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick
- Ultra-heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | · 1280 x 1318 x 1389 mm (L x W x H)<br>· 50.3" L x 51.8" W x 54.6" H |
| Product Weight | · 385kg  |
| Weight Stack   | · 148kg  |

Strength Series DRAX INFINITY

# SI-1-SLC

## SEATED LEG CURL



### Product Features

- Bilateral Stability Control for balanced strength development
- Variable resistance cam to provide greater resistance throughout the range of motion
- Range of Motion adjustment and front handles facilitate hip flexion for optimal hamstring pre-stretch
- Centre drive mechanism prevents torsional flexion and allows easy, user friendly side entry
- Gas assisted back rest adjustment
- All adjustments & weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface
- Low profile weight stack frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick
- Ultra-heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | · 1428 x 1298 x 1393 mm (L x W x H)<br>· 56.2" L x 51.1" W x 54.8" H |
| Product Weight | · 329kg  |
| Weight Stack   | · 75kg   |

# SI-1-AC

## ARM CURL



### Product Features

- Bilateral Stability Control for balanced strength development
- Variable resistance cam to provide the correct resistance through the range of motion
- Gas assisted seat height adjustment
- All adjustments & weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | · 1142 x 1205 x 1389 mm (L x W x H)<br>· 45" L x 47.4" W x 54.6" H |
| Product Weight | · 281kg  |
| Weight Stack   | · 75kg   |



Strength Series DRAX INFINITY

# SI-1-SP

## SHOULDER PRESS



### Product Features

- Rear pivoting and converging compound arc for safe and natural movement
- Counterbalanced arms for optimal starting resistance
- Unilateral operation for balanced strength development
- Dynamic variable resistance to correctly maximize muscle recruitment
- Gas assisted back rest adjustment
- All adjustments & weight stack easily accessible from seated position
- Colour coded instructional placard
- Adjustable feet to ensure the machine can be perfectly balanced on any floor surface
- Low profile weight stack frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick
- Ultra-heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | • 1645 x 1309 x 1483 mm (L x W x H)<br>• 64.7" L x 51.5" W x 58.3" H |
| Product Weight | • 284kg  |
| Weight Stack   | • 75kg   |

# SI-1-CR

## CHEST PRESS / ROW



### Product Features

- Dual operation - Chest Press and Row
- Low Profile Weight Stack Frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- Heavy Duty Design - Quality components with extra heavy, side loaded weight stacks
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick.
- Easily adjustable levelling feet
- Ultra heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | • 1285 x 1230 x 1393 mm (L x W x H)<br>• 50.5" L x 48.4" W x 54.7" H |
| Product Weight | • 297kg  |
| Weight Stack   | • 148kg  |

Strength Series DRAX INFINITY

# SI-1-LS

## DUAL LAT PULLDOWN / SHOULDER PRESS



### Product Features

- Dual operation - Lat Pull Down and Shoulder Press
- Low Profile Weight Stack Frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- Heavy Duty Design - Quality components with extra heavy, side loaded weight stacks
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick.
- Easily adjustable levelling feet
- Ultra heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | • 1333 x 1187 x 1867 mm (L x W x H)<br>• 52.4" L x 46.7" W x 73.5" H |
| Product Weight | • 346kg  |
| Weight Stack   | • 148kg  |

# SI-1-LR

## DUAL LAT PULLDOWN / SEATED CABLE ROW



### Product Features

- Dual operation - Lat Pull Down and Seated Cable Row
- Low Profile Weight Stack Frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- Heavy Duty Design - Quality components with extra heavy, side loaded weight stacks
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick.
- Easily adjustable levelling feet
- Ultra heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | • 2014 x 1350 x 2206 mm (L x W x H)<br>• 79.2" L x 53.1" W x 86.8" H |
| Product Weight | • 402kg  |
| Weight Stack   | • 195kg  |

Strength Series DRAX INFINITY

# SD-1-LEC

## DUAL LEG EXTENSION / SEATED LEG CURL



### Product Features

- Dual operation - Leg Extension and Seated Leg Curl
- Low Profile Weight Stack Frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- Heavy Duty Design - Quality components with extra heavy, side loaded weight stacks
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick.
- Easily adjustable levelling feet
- Ultra heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | • 1108 x 1335 x 1389 mm (L x W x H)<br>• 43.6" L x 52.5" W x 54.6" H |
| Product Weight | • 325kg  |
| Weight Stack   | • 148kg  |

# SD-1-LP

## DUAL LEG PRESS / CALF



### Product Features

- Dual operation - Leg Press and Calf
- Low Profile Weight Stack Frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- Heavy Duty Design - Quality components with extra heavy, side loaded weight stacks
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick.
- Easily adjustable levelling feet
- Ultra heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | • 1562 x 1163 x 1458 mm (L x W x H)<br>• 61.5" L x 45.7" W x 57.4" H |
| Product Weight | • 480kg  |
| Weight Stack   | • 195kg  |

Strength Series DRAX INFINITY

# SD-1-AD/AB

## DUAL ADDUCTOR ABDUCTOR



### Product Features

- Dual operation - Adductor and Abductor
- Low Profile Weight Stack Frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- Heavy Duty Design - Quality components with extra heavy, side loaded weight stacks
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick.
- Easily adjustable levelling feet
- Ultra heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | • 1159 x 1611 x 1389 mm (L x W x H)<br>• 45.6" L x 63.4" W x 54.6" H |
| Product Weight | • 267kg  |
| Weight Stack   | • 75kg   |

# SD-1-AB

## DUAL ABDOMINAL LOWER BACK



### Product Features

- Dual operation - Abdominal and lower back
- Low Profile Weight Stack Frame - Shrouds with a choice of colourful life style graphics or personalised image/logo to suit
- Heavy Duty Design - Quality components with extra heavy, side loaded weight stacks
- All structural metal frame parts range from a minimum of 4mm through to 12mm thick.
- Easily adjustable levelling feet
- Ultra heavy weight stacks

### Product Specifications

|                |  |
|----------------|--|
| Product Size   | • 1487 x 1233 x 2010 mm (L x W x H)<br>• 58.5" L x 48.5" W x 79.1" H |
| Product Weight | • 333kg  |
| Weight Stack   | • 110kg  |



# POWER TOWER

## Synergy Power Tower



### Product Specifications

|                      |                                 |
|----------------------|---------------------------------|
| Exercise Levels      | • Variable Twist Grip Mechanism |
| Load Control Method  | • Rope/Chain Hybrid             |
| Maximum User Weight  | • 180kg                         |
| Step Interval        | • 255mm                         |
| Vertical Stroke      | • 657mm                         |
| Display Information  | • Time, Distance, Calories, RPM |
| Power Specifications | • Self-generating               |
| Product Size         | • 1285 x 874 x 2370 mm (LxWxH)  |
| Product Weight       | • 210kg                         |
| Packing Size         | • Fully assembled packing       |



### Product Features

- **Next generation full body climbing machine using all four limbs.**  
The load is double positive, and no negative load is generated in either direction of push or pull or in either position direction.
- **Unique loading system**  
Patented continuously variable transmission (CVT) allows for smooth and quick resistance changes. The load is applied by a unique large air fan system that creates a smooth resistance with the rope and chain.
- **Adjustable exercise grips and steps**  
Grip positions can be changed to suit different exercises. Remove the step and attach the grips to it for lifting exercises.
- **Workout Display**  
The workout display shows workout data, such as wattage, time, and interval time during the exercise. The workout display is battery-powered, so it does not require an electrical outlet and can be installed anywhere.



# POWER CLIMBER

## Synergy Power Climber



### Product Specifications

|                     |  |
|---------------------|--|
| Exercise Levels     | • Variable Twist Grip Mechanism  |
| Load Control Method | • Rope/Chain Hybrid  |
| Maximum User Weight | • 180kg  |
| Step Interval       | • 255mm  |
| Vertical Stroke     | • 642mm  |
| Display Information | • Time, Distance, Calories, RPM  |
| Heart Rate          | • N/A  |
| Durability          | • High-Strength Steel Frame, Enhanced with Internal Corrosion-Resistant Black Powder Coating, Auto Tensioner   |
| Convenience         | • Horizontal Adjustment Device, Handles Designed to Effectively Target Sprint and Intensity-Oriented Movements |
| Product Size        | • 1218 x 82 x 1683 mm (L xWx H)  |
| Product Weight      | • 120kg  |

### Product Features

- Implements Climbing Exercise Effect with High Energy Consumption During Exercise
- Allows for Various Lower Body Strength Exercises
- Incorporates Twist Grip Mechanism for Easy Exercise Intensity Adjustment
- Handles Designed for Effective Movement Execution
- Minimizes Noise with Hybrid Chain and Rope Drive System
- Precision Machined, High-Strength Steel Frame Structure: Excellent Durability

# POWER SWIMMER

## Synergy Power Swimmer



### Product Specifications

|                     |  |
|---------------------|--|
| Exercise Levels     | • Variable Twist Grip Mechanism  |
| Load Control Method | • Chain  |
| Maximum User Weight | • 180kg  |
| Stroke              | • 1500mm - 1800mm  |
| Display Information | • Time, Distance, Calories, RPM  |
| Heart Rate          | • N/A  |
| Durability          | • High-Strength Steel Frame, Enhanced with Internal Corrosion-Resistant Black Powder Coating, Auto Tensioner |
| Convenience         | • Horizontal Adjustment Device, Patented Continuous Variable Transmission                                    |
| Product Size        | • 2478 x 585 x 1400 mm (L xWx H)   |
| Product Weight      | • 120kg  |

### Product Features

- Implements Swimming Exercise Within the Unit
- Offers Exercise Functions to Enhance Both Arm and Leg Strokes
- Incorporates Twist Grip Mechanism for Easy Exercise Sensitivity Adjustment
- Applies Cable System (Tension) Suitable for User Exercise Conditions, Ensuring Minimal Strain on Muscles During Exercise
- Precision Machined, High-Strength Steel Frame Structure: Excellent Durability



# RUNBEAT

Computer simulations that offer the experience of outdoor running races for your enjoyment.

## Personalized Group Training and Competitions



## Product Specifications

|                  |                                     |
|------------------|-------------------------------------|
| Processor        | Intel Core i3                       |
| RAM              | 16G, DDR4                           |
| HDD              | 120G SSD                            |
| Operating System | Windows 10                          |
| Controller       | Smart Box                           |
| Display1         | 24" TFT LCD with Capacitive Touch   |
| Display2         | 46" TFT LCD with TV Stand(Optional) |
| Dimensions       | 58L * 29W * 115H cm                 |
| Voltage          | 220 VAC, 60Hz                       |

## Product Features

RUNBEAT stands as the world's pioneering virtual track and field competition system. Users can immerse themselves in track and field competitions alongside fellow participants, engaging in group competitions and comparing results for a dynamic experience.






# iWALL

Computer simulation enabling you to experience running races as if outdoors .



## Product Specifications

|                  |   |
|------------------|---|
| Package includes | Gaming PC 1year warranty                                |
|                  | Motion sensor   |
|                  | Graphics wall facade / cabinet                          |
|                  | 4Games with 3year Software License                      |
|                  | Support : Online support , remote diagnostics, updates  |
|                  | Additional games available for purchase or subscription |
|                  | 2 x 55" FHD Screens included                            |



## Product Features

iWall is an artificial intelligence game platform that utilizes motion recognition sensors in a way never seen before. The package includes a variety of motion recognition multiplayer games that interact seamlessly with players and iWall. Currently, iWall is being utilized across Europe in sports centers, YMCA facilities, schools, gyms, hotels, amusement parks, airports, shopping malls, rehabilitation centers, hospitals, and more.



# CycloBeat

Indoor Cycling Activities that Add Fun to Fitness



## Product Specifications

|                  |                                      |
|------------------|--------------------------------------|
| Processor        | Intel Core i3                        |
| RAM              | 16G                                  |
| HDD              | 120G SSD                             |
| Operating System | Windows 10                           |
| Display 1        | 24" FHD with Capacitive Touch Screen |
| Display 2        | 46" FHD with TV Stand (2EA)          |
| Power            | 220VAC, 60Hz                         |

## Product Features

- Provides a variety of exercises suitable for cardiovascular strengthening, pacing exercises, and more
- Resistance automatically adjusts according to game content
- Connectable bikes: 2-4 units (recumbent bikes)
- Number of games: 12
- Required space: 3x3m



## PLATE / DUMBBELL

The new DRAX Plate series is crafted from premium materials that prioritize safety, emitting no harmful gases or substances, guaranteeing worry-free direct contact with the skin. With its odorless composition, it delivers a secure workout experience, even in enclosed spaces.





# PLATE



## Product Features

- Introducing the new DRAX Plate series, crafted from premium materials that are safe, free from harmful gases or substances, allowing direct contact with the skin.
- Odorless, ensuring a safe workout experience even in enclosed spaces, thanks to its premium materials.
- Handle holes on the Plates facilitate easy weight replacement and handling during transportation.

## Plate

| Division | Product Size | Product Weight |
|----------|--------------|----------------|
| 25       | 450 x 45mm   | 25 kg          |
| 20       | 430 x 41mm   | 20 kg          |
| 15       | 368 x 41mm   | 15 kg          |
| 10       | 315 x 39mm   | 10 kg          |
| 7.5      | 270 x 39mm   | 7.5 kg         |
| 5        | 235 x 37mm   | 5 kg           |
| 2.5      | 191 x 33mm   | 2.5 kg         |
| 1.25     | 161 x 27mm   | 1.25 kg        |

Dimension : (D x H)

# DUMBBELL



## Product Specifications

|                     |  |
|---------------------|--|
| Product Weight (kg) | 1, 2, 3, 4, 5, 6, 7, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 35, 36, 38, 40, 42, 44, 45, 46, 48, 50 |
|---------------------|--|

# Fixed Weight Barbells



## Product Specifications

|                     |              |                    |
|---------------------|--------------|--------------------|
| Product Weight (kg) | Curl Bar     | 10, 15, 20, 25, 30 |
|                     | Straight Bar | 10, 15, 20, 25, 30 |







## South Korea's Premier Fitness Competition

### "Dreaming of a Fit South Korea"

In the era of Healthcare 3.0, a key health indicator is "healthy life expectancy."

One of the best ways to increase healthy life expectancy is through strength training. Quantification and systematization of this strength training enable individuals to build their bodies, a practice known as bodybuilding.

The DRAX Championship is based on the sports spirit of resilience, determination, confidence, and passion. Held annually, it garners increasing acclaim with each iteration.

Boasting the largest prize money and scale among domestic bodybuilding competitions, it features a total of seven events.

We hope that through the DRAX Championship, more individuals will find inspiration to sculpt their bodies and achieve their fitness goals.







# DRAX INC

## DRAX Championship

# 2023 DRAX CHAMPIONSHIP





디렉스가 주최, 주관하는 국내 최초 실내 마라톤대회



## DRAX's exceptional technology is giving birth to a new sports culture.

The DRAX INDOOR MARATHON, the world's first indoor treadmill marathon covering the entire distance, was successfully held in April 2023, with plans for annual editions. This unprecedented indoor marathon aims to expand the culture of safe and healthy indoor running, free from weather and environmental constraints, allowing for year-round running.

Running strengthens cardiovascular endurance, muscles, and bones simultaneously. Medical studies have shown that running increases heart rate, delivering more oxygen and blood to the brain, thereby promoting hormone secretion and optimizing brain cell growth. The body fat percentage of elite marathon runners is typically below 10%, with some elite athletes reaching as low as 6-8%.

Marathons are often referred to as nature's best remedy bestowed upon humans. Now, with advancements in technology, marathons are possible indoors too. DRAX introduces the world's first treadmill equipped with automatic speed control, making indoor marathons a reality.

Traditional treadmills require users to manually adjust speed, making it impossible to maintain a consistent pace akin to outdoor running. Moreover, there's a perceived risk of joint injuries due to the limitations of treadmill cushioning. However, DRAX, known as the powerhouse of aerobic equipment, has overcome these challenges with three world-class technologies:

1. Speed Sync technology, utilizing advanced sensing technology to automatically adjust speed based on user position, providing an experience similar to outdoor running at one's own pace.
2. Dual Incline System to minimize side-to-side movement at high speeds.
3. Floating Deck with optimal cushioning to absorb impact and protect joints.

With patented advanced stabilization technologies, DRAX is redefining the essence of running.

Instagram: drax\_marathon\_official




Facebook: drax-marathon.com



# DRAX INC

## DRAX Indoor Marathon

## DRAX INDOOR MARATHON





# DRAX INC

## DRAX Domestic & Global Customer References








# DRAX INC

## DRAX Domestic & Global Customer References

Customer References

Reference





# DRAX INC

## DRAX Domestic & Global Customer References

Customer References

Reference





DRAX B r o c h u r e

